



Hitachi CB 2000 Blade Servers Support Matrix

Note: Configurations added since the last matrix will be shown in red text.

Introduction

Use this interoperability matrix to check whether a proposed customer configuration is supported. Each tab contains a set of components that together comprise an HDS-supported solution. This includes server model, operating system (OS) version and maintenance release, host bus adapter (HBA), HBA driver, and storage area network (SAN) switches, both Fibre channel (FC) and Fibre channel over Ethernet (FCoE).

In the sample datapath below, a customer configuration is supported if that particular server, HBA and driver, switch and switch firmware combinations both appear on the Windows Server 2012 R2 support matrix.

For example: A Hitachi CB 2000 X57A1 server running Windows Server 2012 that has an Emulex LPe16000/16002 HBA using driver v2.72.012.001 connected to a Brocade DCX SAN switch with FOS v7.0.2e installed.

If a combination does not appear on the support matrix, the customer's Hitachi Data Systems Sales Engineer (SE) or other HDS field service employee must submit an Interoperability Support Request (ISR) in order to gain support for the new configuration.

Note that in some cases a component (HBA, driver, switch, switch firmware version) may no longer be supported (end of service life, EOSL) in which case the customer should choose components that are already supported from the matrix. Click on a tab to view associated components.

Legal Disclaimer

This information is subject to change without notice. The information contained in this document is provided by HDS for general information purposes only and is based on information as of the date of distribution (indicated by the date above). HDS makes no express or implied warranties of any kind whatsoever regarding the contents of this Document or the performance of the products referred to in these documents and HDS expressly disclaims all warranties including, without limitation, the implied warranties of satisfactory quality, merchantability or fitness for a particular purpose, the statutory warranty against infringement, and any warranty of title. HDS will have no liability whatsoever for any direct loss or damage (but excluding any liability for death, personal injury or fraudulent misrepresentation) or for any indirect, special, incidental or consequential damages, including but not limited to loss of data or records, lost profits or other economic loss, arising out of or in connection with the use of this information even if such loss was foreseeable or HDS had been advised of the possibility of such loss.

HDS support for Hitachi CB 2000 X55A1/A2 Server Blades

CB 2000 Server											
Model	OS	OS version	HVM/LPAR support	HVM/LPAR Manager version	SVP, EFI, BMC versions	HBA/CNA model	HBA/CNA driver	FC/FCoE switch model	FC/FCoE switch f/w	HDS storage array	
CB 2000 X55A1 (GVAX55A1) CB 2000 X55A2 (GVAX55A2)	RedHat Enterprise Linux (RHEL)	RHEL 6.1 (X64)	Yes	58-82 or higher	A0360 or higher 03-22 or higher 03-70 or higher	Hitachi HFC0401, HFC0402 GVAX55A1 only	v4.6.17.2096	Brocade 300, 5100, 5300, 7800, 8000, DCX, DCX-4s	v7.0.0 - v7.0.2e	HUS 100, HUS VM, VSP, VSP G1000	
			Yes	58-82 or higher	A0360 or higher 03-22 or higher 03-70 or higher	Hitachi HFC0401, HFC0402 GVAX55A1 only	v4.6.17.2096	Cisco 9148, 9222i, 9506 (4Gb), 9506 (8Gb), 9509 (4Gb), 9509 (8Gb), 9513, 9513 (8Gb)	v5.2(1) - v5.2(8c)	HUS 100, HUS VM, VSP, VSP G1000	
			Yes	58-82 or higher	A0360 or higher 03-22 or higher 03-70 or higher	Hitachi HFCE0801, HFCE0802, HFCE0804	v4.6.17.2096	Brocade 300, 5100, 5300, 7800, 8000, DCX, DCX-4s	v7.0.0 - v7.0.2e	HUS 100, HUS VM, VSP, VSP G1000	
			Yes	58-82 or higher	A0360 or higher 03-22 or higher 03-70 or higher	Hitachi HFCE0801, HFCE0802, HFCE0804	v4.6.17.2096	Cisco 9148, 9222i, 9506 (4Gb), 9506 (8Gb), 9509 (4Gb), 9509 (8Gb), 9513, 9513 (8Gb)	v5.2(1) - v5.2(8c)	HUS 100, HUS VM, VSP, VSP G1000	
		RHEL 6.2 (IA32)	Yes	59-00 or higher	A0360 or higher 09-55 or higher 05-53 or higher	Hitachi HFC0401, HFC0402 GVAX55A1 only	v1.6.17.2096	Brocade 300, 5100, 5300, 7800, 8000, DCX, DCX-4s	v7.0.0 - v7.0.2e	HUS 100, HUS VM, VSP, VSP G1000	
			Yes	59-00 or higher	A0360 or higher 09-55 or higher 05-53 or higher	Hitachi HFC0401, HFC0402 GVAX55A1 only	v1.6.17.2096	Cisco 9148, 9222i, 9506 (4Gb), 9506 (8Gb), 9509 (4Gb), 9509 (8Gb), 9513, 9513 (8Gb)	v5.2(1) - v5.2(8c)	HUS 100, HUS VM, VSP, VSP G1000	
			Yes	59-00 or higher	A0360 or higher 09-55 or higher 05-53 or higher	Hitachi HFCE0801, HFCE0802, HFCE0804	v1.6.17.2096	Brocade 300, 5100, 5300, 7800, 8000, DCX, DCX-4s	v7.0.0 - v7.0.2e	HUS 100, HUS VM, VSP, VSP G1000	
			Yes	59-00 or higher	A0360 or higher 09-55 or higher 05-53 or higher	Hitachi HFCE0801, HFCE0802, HFCE0804	v1.6.17.2096	Cisco 9148, 9222i, 9506 (4Gb), 9506 (8Gb), 9509 (4Gb), 9509 (8Gb), 9513, 9513 (8Gb)	v5.2(1) - v5.2(8c)	HUS 100, HUS VM, VSP, VSP G1000	
			Yes	59-00 or higher	A0360 or higher 09-55 or higher 05-53 or higher	Hitachi HFCE0801, HFCE0802, HFCE0804	v1.6.17.2096	Brocade 300, 5100, 5300, 7800, 8000, DCX, DCX-4s	v7.0.0 - v7.0.2e	HUS VM, VSP, VSP G1000	
			Yes	59-00 or higher	A0360 or higher 09-55 or higher 05-53 or higher	Hitachi HFCE0801, HFCE0802, HFCE0804	v1.6.17.2096	Hitachi Blade Server Switch - 5460	v6.3.2c	HUS VM, VSP, VSP G1000	
		RHEL 6.2 (X64)	No	N/A	N/A	N/A	Emulex LPe12000, LPe12002	v8.3.5.45.4p	Brocade 300, 5100, 5300, 7800, 8000, DCX, DCX-4s	v7.0.0 - v7.0.2e	HUS VM, VSP, VSP G1000
			No	N/A	N/A	N/A	Emulex LPe1205-HI	v8.3.5.45.4p	Hitachi Blade Server Switch - 5460	v6.3.2c	HUS VM, VSP, VSP G1000
			Yes	59-00 or higher	A0360 or higher 03-22 or higher 03-70 or higher	Hitachi HFC0401, HFC0402 GVAX55A1 only	v4.6.17.2096	Brocade 300, 5100, 5300, 7800, 8000, DCX, DCX-4s	v7.0.0 - v7.0.2e	HUS 100, HUS VM, VSP, VSP G1000	
			Yes	59-00 or higher	A0360 or higher 03-22 or higher 03-70 or higher	Hitachi HFC0401, HFC0402 GVAX55A1 only	v4.6.17.2096	Cisco 9148, 9222i, 9506 (4Gb), 9506 (8Gb), 9509 (4Gb), 9509 (8Gb), 9513, 9513 (8Gb)	v5.2(1) - v5.2(8c)	HUS 100, HUS VM, VSP, VSP G1000	
			Yes	59-00 or higher	A0360 or higher 03-22 or higher 03-70 or higher	Hitachi HFCE0801, HFCE0802, HFCE0804	Bundled	Brocade 300, 5100, 5300, 7800, 8000, DCX, DCX-4s	v7.0.0 - v7.0.2e	HUS VM, VSP, VSP G1000	
			Yes	59-00 or higher	A0360 or higher 03-22 or higher 03-70 or higher	Hitachi HFCE0801, HFCE0802, HFCE0804	Bundled	Hitachi Blade Server Switch - 5460	v6.3.2c	HUS VM, VSP, VSP G1000	
			Yes	59-00 or higher	A0360 or higher 09-55 or higher 05-53 or higher	Hitachi HFCE0801, HFCE0802, HFCE0804	v4.6.17.2096	Brocade 300, 5100, 5300, 7800, 8000, DCX, DCX-4s	v7.0.0 - v7.0.2e	HUS 100, HUS VM, VSP, VSP G1000	
			Yes	59-00 or higher	A0360 or higher 09-55 or higher 05-53 or higher	Hitachi HFCE0801, HFCE0802, HFCE0804	v4.6.17.2096	Cisco 9148, 9222i, 9506 (4Gb), 9506 (8Gb), 9509 (4Gb), 9509 (8Gb), 9513, 9513 (8Gb)	v5.2(1) - v5.2(8c)	HUS 100, HUS VM, VSP, VSP G1000	
			No	N/A	N/A	N/A	QLogic QLE2560, QLE2562	v8.03.07.05.06.2-k	Brocade 300, 5100, 5300, 7800, 8000, DCX, DCX-4s	v7.0.0 - v7.0.2e	HUS VM, VSP, VSP G1000

RHEL 6.4 (IA32)	Yes	59-51 or higher	A0360 or higher 03-22 or higher 03-70 or higher	Hitachi HFCE0801, HFCE0802, HFCE0804	v1.6.17.2114	Brocade 300, 5100, 5300, 7800, 8000, DCX, DCX-4s	v7.2.0a - v7.2.1d	HUS 100, HUS VM, VSP, VSP G1000	
	Yes	59-51 or higher	A0360 or higher 03-22 or higher 03-70 or higher	Hitachi HFCE0801, HFCE0802, HFCE0804	v1.6.17.2114	Brocade 6505, 6510, 6520, DCX8510	v7.2.0a - v7.2.1d	HUS 100, HUS VM, VSP, VSP G1000	
	Yes	59-51 or higher	A0360 or higher 03-22 or higher 03-70 or higher	Hitachi HFCE0801, HFCE0802, HFCE0804	v1.6.17.2114	Cisco 9148, 9222i, 9506 (4Gb), 9506 (8Gb), 9509 (4Gb), 9509 (8Gb), 9513, 9513 (8Gb)	v6.2(1) - v6.2(11)	HUS 100, HUS VM, VSP, VSP G1000	
	RHEL 6.4 (X64)	Yes	59-51 or higher	A0360 or higher 03-22 or higher 03-70 or higher	Hitachi HFCE0801, HFCE0802, HFCE0804	v4.6.17.2104	Brocade 300, 5100, 5300, 7800, 8000, DCX, DCX-4s	v7.1.0a - v7.1.2b	HUS 100, HUS VM, VSP, VSP G1000
		Yes	59-51 or higher	A0360 or higher 03-22 or higher 03-70 or higher	Hitachi HFCE0801, HFCE0802, HFCE0804	v4.6.17.2104	Cisco 9148, 9222i, 9506 (4Gb), 9506 (8Gb), 9509 (4Gb), 9509 (8Gb), 9513, 9513 (8Gb)	v6.2(1) - v6.2(11)	HUS 100, HUS VM, VSP, VSP G1000
		Yes	59-51 or higher	A0360 or higher 03-22 or higher 03-70 or higher	Hitachi HFCE0801, HFCE0802, HFCE0804	v4.6.17.2114	Brocade 6505, 6510, 6520, DCX8510	v7.2.0a - v7.2.1d	HUS 100, HUS VM, VSP, VSP G1000
Oracle Solaris	Solaris 10 U10 (X64)	No	N/A	N/A	Emulex LPe1205-HI	Bundled	Hitachi Blade Server Switch - 5460	v6.3.2c	HUS VM, VSP, VSP G1000
	Solaris 10 U9 (X64)	No	N/A	N/A	Emulex LPe12000, LPe12002	Bundled	Brocade 300, 5100, 5300, 7800, 8000, DCX, DCX-4s	v7.0.0 - v7.0.2e	HUS VM, VSP, VSP G1000
		No	N/A	N/A	Emulex LPe12000, LPe12002	Bundled	Cisco 9148, 9222i, 9506 (4Gb), 9506 (8Gb), 9509 (4Gb), 9509 (8Gb), 9513, 9513 (8Gb)	v5.2(1) - v5.2(8c)	HUS VM, VSP, VSP G1000
		No	N/A	N/A	Emulex LPe1205-HI	Bundled	Hitachi Blade Server Switch - 5460	v6.3.2c	HUS VM, VSP, VSP G1000
VMWare	VMWare 5.0 U1 (X64)	No	N/A	N/A	Emulex LPe12000, LPe12002	Bundled	Brocade 300, 5100, 5300, 7800, 8000, DCX, DCX-4s	v6.4.0 - v6.4.3f	HUS VM, VSP, VSP G1000
		No	N/A	N/A	Hitachi HFCE0801, HFCE0802, HFCE0804	v4.28.16.1148	Brocade 300, 5100, 5300, 7800, 8000, DCX, DCX-4s	v7.0.0 - v7.0.2e	HUS VM, VSP, VSP G1000
		No	N/A	N/A	QLogic QLE2560, QLE2562	Bundled	Brocade 300, 5100, 5300, 7800, 8000, DCX, DCX-4s	v6.4.0 - v6.4.3f	HUS VM, VSP, VSP G1000
	VMWare 5.0 U2 (X64)	No	N/A	N/A	Emulex LPe12000, LPe12002	Bundled	Brocade 300, 5100, 5300, 7800, 8000, DCX, DCX-4s	v6.4.0 - v6.4.3f	HUS VM, VSP, VSP G1000
		No	N/A	N/A	Hitachi HFC0401, HFC0402 GVAX55A1 only	v4.28.16.1148	Cisco 9148, 9222i, 9506 (4Gb), 9506 (8Gb), 9509 (4Gb), 9509 (8Gb), 9513, 9513 (8Gb)	v5.2(1) - v5.2(8c)	HUS VM, VSP, VSP G1000
		No	N/A	N/A	Hitachi HFCE0801, HFCE0802, HFCE0804	v4.28.16.1148	Brocade 300, 5100, 5300, 7800, 8000, DCX, DCX-4s	v7.0.0 - v7.0.2e	HUS VM, VSP, VSP G1000
		No	N/A	N/A	Hitachi HFCE0801, HFCE0802, HFCE0804	v4.28.16.1148	Cisco 9148, 9222i, 9506 (4Gb), 9506 (8Gb), 9509 (4Gb), 9509 (8Gb), 9513, 9513 (8Gb)	v5.2(1) - v5.2(8c)	HUS VM, VSP, VSP G1000
		No	N/A	N/A	Hitachi HFCE0801, HFCE0802, HFCE0804	v4.28.16.1158	Brocade 6505, 6510, 6520, DCX8510	v7.2.0a - v7.2.1d	HUS 100, HUS VM, VSP, VSP G1000
		No	N/A	N/A	QLogic QLE2560, QLE2562	Bundled	Brocade 300, 5100, 5300, 7800, 8000, DCX, DCX-4s	v6.4.0 - v6.4.3f	HUS VM, VSP, VSP G1000
		No	N/A	N/A	Emulex LPe12000, LPe12002	Bundled	Brocade 300, 5100, 5300, 7800, 8000, DCX, DCX-4s	v6.4.0 - v6.4.3f	HUS VM, VSP, VSP G1000
	VMWare 5.0 U3 (X64)	No	N/A	N/A	Hitachi HFC0401, HFC0402 GVAX55A1 only	v4.28.16.1148	Cisco 9148, 9222i, 9506 (4Gb), 9506 (8Gb), 9509 (4Gb), 9509 (8Gb), 9513, 9513 (8Gb)	v5.2(1) - v5.2(8c)	HUS VM, VSP, VSP G1000
		No	N/A	N/A	Hitachi HFCE0801, HFCE0802, HFCE0804	v4.28.16.1148	Brocade 300, 5100, 5300, 7800, 8000, DCX, DCX-4s	v7.0.0 - v7.0.2e	HUS VM, VSP, VSP G1000
		No	N/A	N/A	Hitachi HFCE0801, HFCE0802, HFCE0804	v4.28.16.1148	Cisco 9148, 9222i, 9506 (4Gb), 9506 (8Gb), 9509 (4Gb), 9509 (8Gb), 9513, 9513 (8Gb)	v5.2(1) - v5.2(8c)	HUS VM, VSP, VSP G1000
		No	N/A	N/A	QLogic QLE2560, QLE2562	Bundled	Brocade 300, 5100, 5300, 7800, 8000, DCX, DCX-4s	v6.4.0 - v6.4.3f	HUS VM, VSP, VSP G1000
No		N/A	N/A	Emulex LPe12000, LPe12002	Bundled	Brocade 300, 5100, 5300, 7800, 8000, DCX, DCX-4s	v6.4.0 - v6.4.3f	HUS VM, VSP, VSP G1000	

VMWare 5.1 (X64)	No	N/A	N/A	Emulex LPe12000, LPe12002	Bundled	Brocade 300, 5100, 5300, 7800, 8000, DCX, DCX-4s	v6.4.0 - v6.4.3f	HUS VM, VSP, VSP G1000
	No	N/A	N/A	Hitachi HFC0401, HFC0402 GVAX55A1 only	v4.28.16.1148	Cisco 9148, 9222i, 9506 (4Gb), 9506 (8Gb), 9509 (4Gb), 9509 (8Gb), 9513, 9513 (8Gb)	v5.2(1) - v5.2(8c)	HUS VM, VSP, VSP G1000
	No	N/A	N/A	Hitachi HFCE0801, HFCE0802, HFCE0804	v4.28.16.1148	Brocade 300, 5100, 5300, 7800, 8000, DCX, DCX-4s	v7.0.0 - v7.0.2e	HUS VM, VSP, VSP G1000
	No	N/A	N/A	Hitachi HFCE0801, HFCE0802, HFCE0804	v4.28.16.1148	Cisco 9148, 9222i, 9506 (4Gb), 9506 (8Gb), 9509 (4Gb), 9509 (8Gb), 9513, 9513 (8Gb)	v5.2(1) - v5.2(8c)	HUS VM, VSP, VSP G1000
	No	N/A	N/A	QLogic QLE2560, QLE2562	Bundled	Brocade 300, 5100, 5300, 7800, 8000, DCX, DCX-4s	v6.4.0 - v6.4.3f	HUS VM, VSP, VSP G1000
VMWare 5.1 U1 (X64)	No	N/A	N/A	Emulex LPe12000, LPe12002	Bundled	Brocade 300, 5100, 5300, 7800, 8000, DCX, DCX-4s	v6.4.0 - v6.4.3f	HUS VM, VSP, VSP G1000
	No	N/A	N/A	Hitachi HFC0401, HFC0402 GVAX55A1 only	v4.28.16.1148	Cisco 9148, 9222i, 9506 (4Gb), 9506 (8Gb), 9509 (4Gb), 9509 (8Gb), 9513, 9513 (8Gb)	v5.2(1) - v5.2(8c)	HUS VM, VSP, VSP G1000
	No	N/A	N/A	Hitachi HFCE0801, HFCE0802, HFCE0804	v4.28.16.1148	Brocade 300, 5100, 5300, 7800, 8000, DCX, DCX-4s	v7.0.0 - v7.0.2e	HUS VM, VSP, VSP G1000
	No	N/A	N/A	Hitachi HFCE0801, HFCE0802, HFCE0804	v4.28.16.1148	Cisco 9148, 9222i, 9506 (4Gb), 9506 (8Gb), 9509 (4Gb), 9509 (8Gb), 9513, 9513 (8Gb)	v5.2(1) - v5.2(8c)	HUS VM, VSP, VSP G1000
	No	N/A	N/A	Hitachi HFCE0801, HFCE0802, HFCE0804	v4.28.16.1158	Brocade 6505, 6510, 6520, DCX8510	v7.2.0a - v7.2.1d	HUS 100, HUS VM, VSP, VSP G1000
	No	N/A	N/A	Hitachi HFCE0801, HFCE0802, HFCE0804	v4.28.16.1158	Hitachi Blade Server Switch - 5460	v7.0.2c	HUS 100, HUS VM, VSP, VSP G1000
	No	N/A	N/A	QLogic QLE2560, QLE2562	Bundled	Brocade 300, 5100, 5300, 7800, 8000, DCX, DCX-4s	v6.4.0 - v6.4.3f	HUS VM, VSP, VSP G1000
VMWare 5.1 U2 (X64)	No	N/A	N/A	Emulex LPe12000, LPe12002	Bundled	Brocade 300, 5100, 5300, 7800, 8000, DCX, DCX-4s	v6.4.0 - v6.4.3f	HUS VM, VSP, VSP G1000
	No	N/A	N/A	Hitachi HFC0401, HFC0402 GVAX55A1 only	v4.28.16.1148	Cisco 9148, 9222i, 9506 (4Gb), 9506 (8Gb), 9509 (4Gb), 9509 (8Gb), 9513, 9513 (8Gb)	v5.2(1) - v5.2(8c)	HUS VM, VSP, VSP G1000
	No	N/A	N/A	Hitachi HFCE0801, HFCE0802, HFCE0804	v4.28.16.1148	Brocade 300, 5100, 5300, 7800, 8000, DCX, DCX-4s	v7.0.0 - v7.0.2e	HUS VM, VSP, VSP G1000
	No	N/A	N/A	Hitachi HFCE0801, HFCE0802, HFCE0804	v4.28.16.1148	Cisco 9148, 9222i, 9506 (4Gb), 9506 (8Gb), 9509 (4Gb), 9509 (8Gb), 9513, 9513 (8Gb)	v5.2(1) - v5.2(8c)	HUS VM, VSP, VSP G1000
	No	N/A	N/A	QLogic QLE2560, QLE2562	Bundled	Brocade 300, 5100, 5300, 7800, 8000, DCX, DCX-4s	v6.4.0 - v6.4.3f	HUS VM, VSP, VSP G1000

Windows	Windows 2008 R2 SP1 (X64)	No	N/A	N/A	Emulex LPe12000, LPe12002	v2.20.006	Brocade 300, 5100, 5300, 7800, 8000, DCX, DCX-4s	v6.4.0 - v6.4.3f	HUS VM, VSP, VSP G1000
		No	N/A	N/A	Emulex LPe12000, LPe12002	v2.20.006	Cisco 9148, 9222i, 9506 (4Gb), 9506 (8Gb), 9509 (4Gb), 9509 (8Gb), 9513, 9513 (8Gb)	v5.2(1) - v5.2(8c)	HUS VM, VSP, VSP G1000
		No	N/A	N/A	Emulex LPe1205-HI	v2.20.006	Hitachi Blade Server Switch - 5460	v6.3.2c	HUS VM, VSP, VSP G1000
		Yes	58-72 or higher	A0360 or higher 03-22 or higher 03-70 or higher	Hitachi HFCE0801, HFCE0802, HFCE0804	v4.2.6.800	Brocade 300, 5100, 5300, 7800, 8000, DCX, DCX-4s	v6.4.0 - v6.4.3f	HUS VM, VSP, VSP G1000
		Yes	58-72 or higher	A0360 or higher 03-22 or higher 03-70 or higher	Hitachi HFCE0801, HFCE0802, HFCE0804	v4.2.6.800	Brocade 300, 5100, 5300, 7800, 8000, DCX, DCX-4s	v7.0.0 - v7.0.2e	HUS VM, VSP, VSP G1000
		Yes	58-72 or higher	A0360 or higher 03-22 or higher 03-70 or higher	Hitachi HFCE0801, HFCE0802, HFCE0804	v4.2.6.800	Cisco 9148, 9222i, 9506 (4Gb), 9506 (8Gb), 9509 (4Gb), 9509 (8Gb), 9513, 9513 (8Gb)	v5.2(1) - v5.2(8c)	HUS VM, VSP, VSP G1000
		Yes	58-72 or higher	A0360 or higher 03-22 or higher 03-70 or higher	Hitachi HFCE0801, HFCE0802, HFCE0804	v4.2.6.800	Hitachi Blade Server Switch - 5460	v6.3.2c	HUS VM, VSP, VSP G1000
		No	N/A	N/A	QLogic QLE2560, QLE2562	v9.1.9.25	Brocade 300, 5100, 5300, 7800, 8000, DCX, DCX-4s	v6.4.0 - v6.4.3f	HUS VM, VSP, VSP G1000
		No	N/A	N/A	QLogic QLE2560, QLE2562	v9.1.9.27	Brocade 300, 5100, 5300, 7800, 8000, DCX, DCX-4s	v7.0.0 - v7.0.2e	HUS VM, VSP, VSP G1000
		No	N/A	N/A	QLogic QLE2560, QLE2562	v9.1.9.27	Cisco 9148, 9222i, 9506 (4Gb), 9506 (8Gb), 9509 (4Gb), 9509 (8Gb), 9513, 9513 (8Gb)	v5.2(1) - v5.2(8c)	HUS VM, VSP, VSP G1000
	Windows 2008 SP2 (IA32)	Yes	58-12 or higher	A0360 or higher 03-22 or higher 03-70 or higher	Hitachi HFC0401, HFC0402 GVAX55A1 only	v1.1.6.880	Brocade 300, 5100, 5300, 7800, 8000, DCX, DCX-4s	v7.0.0 - v7.0.2e	HUS 100, HUS VM, VSP, VSP G1000
		Yes	58-12 or higher	A0360 or higher 03-22 or higher 03-70 or higher	Hitachi HFC0401, HFC0402 GVAX55A1 only	v1.1.6.880	Cisco 9148, 9222i, 9506 (4Gb), 9506 (8Gb), 9509 (4Gb), 9509 (8Gb), 9513, 9513 (8Gb)	v5.2(1) - v5.2(8c)	HUS 100, HUS VM, VSP, VSP G1000
		Yes	58-12 or higher	A0360 or higher 03-22 or higher 03-70 or higher	Hitachi HFCE0801, HFCE0802, HFCE0804	v1.1.6.880	Brocade 300, 5100, 5300, 7800, 8000, DCX, DCX-4s	v7.0.0 - v7.0.2e	HUS 100, HUS VM, VSP, VSP G1000
		Yes	58-12 or higher	A0360 or higher 03-22 or higher 03-70 or higher	Hitachi HFCE0801, HFCE0802, HFCE0804	v1.1.6.880	Cisco 9148, 9222i, 9506 (4Gb), 9506 (8Gb), 9509 (4Gb), 9509 (8Gb), 9513, 9513 (8Gb)	v5.2(1) - v5.2(8c)	HUS 100, HUS VM, VSP, VSP G1000
	Windows 2008 SP2 (X64)	No	N/A	N/A	Emulex LPe12000, LPe12002	v2.20.006	Brocade 300, 5100, 5300, 7800, 8000, DCX, DCX-4s	v7.0.0 - v7.0.2e	HUS VM, VSP, VSP G1000
		No	N/A	N/A	Emulex LPe1205-HI	v2.20.006	Hitachi Blade Server Switch - 5460	v6.3.2c	HUS VM, VSP, VSP G1000
		Yes	58-12 or higher	A0360 or higher 03-22 or higher 03-70 or higher	Hitachi HFCE0801, HFCE0802, HFCE0804	v4.1.6.880	Hitachi Blade Server Switch - 5460	v6.3.2c	HUS VM, VSP, VSP G1000
		Yes	58-12 or higher	A0360 or higher 03-22 or higher 03-70 or higher	Hitachi HFCE0801, HFCE0802, HFCE0804	v4.1.6.880	Cisco 9148, 9222i, 9506 (4Gb), 9506 (8Gb), 9509 (4Gb), 9509 (8Gb), 9513, 9513 (8Gb)	v5.2(1) - v5.2(8c)	HUS 100, HUS VM, VSP, VSP G1000
		Yes	58-12 or higher	A0360 or higher 03-22 or higher 03-70 or higher	Hitachi HFC0401, HFC0402 GVAX55A1 only	v4.1.6.880	Brocade 300, 5100, 5300, 7800, 8000, DCX, DCX-4s	v7.0.0 - v7.0.2e	HUS 100, HUS VM, VSP, VSP G1000
		Yes	58-12 or higher	A0360 or higher 03-22 or higher 03-70 or higher	Hitachi HFC0401, HFC0402 GVAX55A1 only	v4.1.6.880	Cisco 9148, 9222i, 9506 (4Gb), 9506 (8Gb), 9509 (4Gb), 9509 (8Gb), 9513, 9513 (8Gb)	v5.2(1) - v5.2(8c)	HUS 100, HUS VM, VSP, VSP G1000
		No	N/A	N/A	QLogic QLE2560, QLE2562	v9.1.9.25	Brocade 300, 5100, 5300, 7800, 8000, DCX, DCX-4s	v6.4.0 - v6.4.3f	HUS VM, VSP, VSP G1000
		No	N/A	N/A	QLogic QLE2560, QLE2562	v9.1.9.27	Brocade 300, 5100, 5300, 7800, 8000, DCX, DCX-4s	v7.0.0 - v7.0.2e	HUS VM, VSP, VSP G1000

3rd Party PCIe card support			
Blade Model	PCIe card in IOCD	PCIe card in IOD (IOEU)	InterOp File version
CB 2000 X55A1 (GVAX55A1)	Brocade 1860	Brocade 1860	CR01-03
	Emulex LPe12002	Emulex LPe12002	-
CB 2000 X55A2 (GVAX55A2)	Emulex LPe16002B	Emulex LPe16002B	CR01-03
	LSI Nytro MegaRAID NMR 8120-4i	LSI Nytro MegaRAID NMR 8120-4i	CR01-06
	Mellanox MHQH29-XTC	Mellanox MHQH29-XTC	CR01-02
	NVIDIA NVS 300 x1	Not supported	CR01-04
	QLogic QLE2562	QLogic QLE2562	CR01-01
	QLogic QLE2564	QLogic QLE2564	CR01-03
	QLogic QLE2672	QLogic QLE2672	CR01-06

OS Server Certification			Link to the vendor HCL
Blade Model	OS	OS versions	
CB 2000 X55A1 (GVAX55A1)	RedHat Enterprise Linux (RHEL)	RHEL 5.3 - 5.11, 6.0 - 6.5	RedHat Customer Portal
	Windows	Windows Server 2012 (X64)	Windows Server Catalog
	Vmware	ESX 4.1 U2 - U3, ESXi 5.0, 5.0 U1 - U3, 5.1, 5.1 U1 - U2	VMWare Compatibility Guide
CB 2000 X55A2 (GVAX55A2)	RedHat Enterprise Linux (RHEL)	RHEL 5.3 - 5.11, 6.0 - 6.5	RedHat Customer Portal
	Windows	Windows Server 2012 (X64)	Windows Server Catalog
	Vmware	ESX 4.1 U2 - U3, ESXi 5.0, 5.0 U1 - U3, 5.1, 5.1 U1 - U2, 5.5, 5.5 U1 - U2	VMWare Compatibility Guide

HDS support for Hitachi CB 2000 X55R3/S3 Server Blades

CB 2000 Server											
Model	OS		HVM/LPAR support	HVM/LPAR Manager version	SVP, EFI, BMC versions	HBA/CNA model	HBA/CNA driver	FC/FCoE switch model	FC/FCoE switch f/w	HDS storage array	
CB 2000 X55R3 (GVAX55R3) CB 2000 X55S3 (GVAX55S3)	RedHat Enterprise Linux (RHEL)	RHEL 5.9 (X64)	No	N/A	N/A	Emulex LPe12000, LPe12002	v8.2.0.128.3p	Brocade 300, 5100, 5300, 7800, 8000, DCX, DCX-4s	v7.2.0a - v7.2.1d	HUS 100, HUS VM, VSP, VSP G1000	
			No	N/A	N/A	Emulex LPe12000, LPe12002	v8.2.0.128.3p	Brocade 5460	v6.3.2d	HUS 100, HUS VM, VSP, VSP G1000	
			No	N/A	N/A	Emulex LPe12000, LPe12002	v8.2.0.128.3p	Brocade 6505, 6510, 6520, DCX8510	v7.2.0a - v7.2.1d	HUS 100, HUS VM, VSP, VSP G1000	
			No	N/A	N/A	Emulex LPe12000, LPe12002	v8.2.0.128.3p	Cisco 9148, 9222i, 9506 (4Gb), 9506 (8Gb), 9509 (4Gb), 9509 (8Gb), 9513, 9513 (8Gb)	v6.2(1) - v6.2(11)	HUS 100, HUS VM, VSP, VSP G1000	
		RHEL 6.2 (X64)	No	N/A	N/A		Brocade 1860	v3.1.0.0	Nexus 5010-2232pp, 5020, 5548p, 5548up, 5548up-2232pp, 5596T-2232TM-E, 5596up	v5.2(1)N1(1) - v5.2(1)N1(8b)	HUS VM, VSP, VSP G1000
			No	N/A	N/A		Brocade 1860	v3.1.0.0	Generic DCB IP Switch	Any DCB 10GigE FW	HUS VM, VSP, VSP G1000
			No	N/A	N/A	Emulex LPe12000, LPe12002		v8.3.5.45.4p	Brocade 300, 5100, 5300, 7800, 8000, DCX, DCX-4s	v7.0.0 - v7.0.2e, v7.1.0a - v7.1.2b	HUS 100, HUS VM, VSP, VSP G1000
			No	N/A	N/A	Emulex LPe12000, LPe12002		v8.3.5.45.4p	Cisco 9148, 9222i, 9506 (4Gb), 9506 (8Gb), 9509 (4Gb), 9509 (8Gb), 9513, 9513 (8Gb)	v5.2(1) - v5.2(8c)	HUS 100, HUS VM, VSP, VSP G1000
			No	N/A	N/A	Emulex LPe1205-HI		v8.3.5.45.4p	Hitachi Blade Server Switch - 5460	v6.3.2c, v6.3.2d	HUS 100, HUS VM, VSP, VSP G1000
			No	N/A	N/A	Emulex OCm11104-F2		v8.3.5.45.4p	Brocade 300, 5100, 5300, 7800, 8000, DCX, DCX-4s	v7.0.0 - v7.0.2e	HUS 100, HUS VM, VSP, VSP G1000
			No	N/A	N/A	Emulex OCm11104-F2		v8.3.5.45.4p	Nexus 5010-2232pp, 5020, 5548p, 5548up, 5548up-2232pp, 5596T-2232TM-E, 5596up	v5.1(3)N1(1) - v5.1(3)N2(1c), v5.2(1)N1(1) - v5.2(1)N1(8b)	HUS 100, HUS VM, VSP, VSP G1000
			Yes	59-00 or higher	A0360 or higher 09-55 or higher 05-53 or higher	Hitachi HFCE0801, HFCE0802, HFCE0804		v4.6.17.2096	Brocade 300, 5100, 5300, 7800, 8000, DCX, DCX-4s	v7.0.0 - v7.0.2e	HUS 100, HUS VM, VSP, VSP G1000
	Yes		59-00 or higher	A0360 or higher 09-55 or higher 05-53 or higher	Hitachi HFCE0801, HFCE0802, HFCE0804		v4.6.17.2096	Cisco 9148, 9222i, 9506 (4Gb), 9506 (8Gb), 9509 (4Gb), 9509 (8Gb), 9513, 9513 (8Gb)	v5.2(1) - v5.2(8c)	HUS 100, HUS VM, VSP, VSP G1000	
	Yes		59-00 or higher	A0360 or higher 09-55 or higher 05-53 or higher	Hitachi HFCE0801, HFCE0802, HFCE0804		v4.6.17.2096	Brocade 300, 5100, 5300, 7800, 8000, DCX, DCX-4s	v7.0.0 - v7.0.2e	HUS VM, VSP, VSP G1000	
	Yes		59-00 or higher	A0360 or higher 09-55 or higher 05-53 or higher	Hitachi HFCE0801, HFCE0802, HFCE0804		v4.6.17.2096	Hitachi Blade Server Switch - 5460	v6.3.2c	HUS VM, VSP, VSP G1000	
	No		N/A	N/A		QLogic QLE2672		v8.04.00.06.06.0-k	Brocade 6505, 6510, 6520, DCX8510	v7.2.0a - v7.2.1d	HUS 100
	No		N/A	N/A		QLogic QLE2672		v8.04.00.06.06.0-k	Cisco 9148, 9222i, 9506 (4Gb), 9506 (8Gb), 9509 (4Gb), 9509 (8Gb), 9513, 9513 (8Gb)	v5.2(1) - v5.2(8c)	HUS 100
	RHEL 6.4 (IA32)		Yes	59-51 or higher	A0360 or higher 09-24 or higher 05-13 or higher	Hitachi HFCE0801, HFCE0802, HFCE0804		v1.6.17.2114	Brocade 300, 5100, 5300, 7800, 8000, DCX, DCX-4s	v7.2.0a - v7.2.1d	HUS 100, HUS VM, VSP, VSP G1000
		Yes	59-51 or higher	A0360 or higher 09-24 or higher 05-13 or higher	Hitachi HFCE0801, HFCE0802, HFCE0804		v1.6.17.2114	Brocade 6505, 6510, 6520, DCX8510	v7.2.0a - v7.2.1d	HUS 100, HUS VM, VSP, VSP G1000	
		Yes	59-51 or higher	A0360 or higher 09-24 or higher 05-13 or higher	Hitachi HFCE0801, HFCE0802, HFCE0804		v1.6.17.2114	Cisco 9148, 9222i, 9506 (4Gb), 9506 (8Gb), 9509 (4Gb), 9509 (8Gb), 9513, 9513 (8Gb)	v6.2(1) - v6.2(11)	HUS 100, HUS VM, VSP, VSP G1000	

RHEL 6.4 (X64)	No	N/A	N/A	Brocade 1860	v3.1.0.0	Brocade 300, 5100, 5300, 7800, 8000, DCX, DCX-4s	v7.1.0a - v7.1.2b	HUS 100, HUS VM, VSP, VSP G1000	
	No	N/A	N/A	Brocade 1860	v3.1.0.0	Cisco 9148, 9222i, 9506 (4Gb), 9506 (8Gb), 9509 (4Gb), 9509 (8Gb), 9513, 9513 (8Gb)	v6.2(1) - v6.2(11)	HUS 100, HUS VM, VSP, VSP G1000	
	No	N/A	N/A	Emulex LPe11000, LPe11002	v8.3.5.86.1p	Brocade 300, 5100, 5300, 7800, 8000, DCX, DCX-4s	v7.1.0a - v7.1.2b	HUS 100, HUS VM, VSP, VSP G1000	
	No	N/A	N/A	Emulex LPe11000, LPe11002	v8.3.5.86.1p	Cisco 9148, 9222i, 9506 (4Gb), 9506 (8Gb), 9509 (4Gb), 9509 (8Gb), 9513, 9513 (8Gb)	v6.2(1) - v6.2(11)	HUS 100, HUS VM, VSP, VSP G1000	
	No	N/A	N/A	Emulex LPe12000, LPe12002	v8.3.5.86.1p	Brocade 300, 5100, 5300, 7800, 8000, DCX, DCX-4s	v7.1.0a - v7.1.2b	HUS 100, HUS VM, VSP, VSP G1000	
	No	N/A	N/A	Emulex LPe12000, LPe12002	v8.3.5.86.1p	Cisco 9148, 9222i, 9506 (4Gb), 9506 (8Gb), 9509 (4Gb), 9509 (8Gb), 9513, 9513 (8Gb)	v6.2(1) - v6.2(11)	HUS 100, HUS VM, VSP, VSP G1000	
	No	N/A	N/A	Emulex LPe12000, LPe12002	v8.3.5.86.1p	Brocade 5460	v6.3.2d	HUS 100, HUS VM, VSP, VSP G1000	
	Yes	59-42 or higher	A0360 or higher 09-55 or higher 05-53 or higher	Hitachi HFCe0801, HFCe0802, HFCe0804	v4.6.17.2104	Brocade 300, 5100, 5300, 7800, 8000, DCX, DCX-4s	v7.1.0a - v7.1.2b	HUS 100, HUS VM, VSP, VSP G1000	
	Yes	59-42 or higher	A0360 or higher 09-55 or higher 05-53 or higher	Hitachi HFCe0801, HFCe0802, HFCe0804	v4.6.17.2104	Cisco 9148, 9222i, 9506 (4Gb), 9506 (8Gb), 9509 (4Gb), 9509 (8Gb), 9513, 9513 (8Gb)	v6.2(1) - v6.2(11)	HUS 100, HUS VM, VSP, VSP G1000	
	Yes	59-42 or higher	A0360 or higher 09-55 or higher 05-53 or higher	Hitachi HFCe0801, HFCe0802, HFCe0804	v4.6.17.2114	Brocade 6505, 6510, 6520, DCX8510	v7.2.0a - v7.2.1d	HUS 100, HUS VM, VSP, VSP G1000	
	No	N/A	N/A	QLogic QLE2672	v8.04.00.08.06.4-k	Brocade 6505, 6510, 6520, DCX8510	v7.1.0a - v7.1.2b	HUS VM, VSP, VSP G1000	
	No	N/A	N/A	QLogic QLE2672	v8.04.00.08.06.4-k	Cisco 9710	v6.2(1) - v6.2(11)	HUS VM, VSP, VSP G1000	
	Suse Linux Enterprise Server (SLES)	SLES 11 SP2 (X64)	No	N/A	N/A	Emulex LPe11000, LPe11002	Brocade 300, 5100, 5300, 7800, 8000, DCX, DCX-4s	v7.0.0 - v7.0.2e	HUS VM, VSP, VSP G1000
			No	N/A	N/A	Emulex LPe12000, LPe12002	Brocade 300, 5100, 5300, 7800, 8000, DCX, DCX-4s	v7.0.0 - v7.0.2e	HUS VM, VSP, VSP G1000
No			N/A	N/A	Emulex LPe1205-HI	v8.3.5.48.2p	Hitachi Blade Server Switch - 5460	v6.3.2d	HUS VM, VSP, VSP G1000
No			N/A	N/A	QLogic QLE2672	v8.05.00.03.11.1-k	Brocade 6505, 6510, 6520, DCX8510	v7.1.0a - v7.1.2b	HUS VM, VSP, VSP G1000
No			N/A	N/A	QLogic QLE2672	v8.05.00.03.11.1-k	Cisco 9710	v6.2(1) - v6.2(11)	HUS VM, VSP, VSP G1000
SLES 11 SP3 (X64)		No	N/A	N/A	Emulex LPe12000, LPe12002	v8.3.7.10.6p	Brocade 300, 5100, 5300, 7800, 8000, DCX, DCX-4s	v7.2.0a - v7.2.1d	HUS 100, HUS VM, VSP, VSP G1000
		No	N/A	N/A	Emulex LPe12000, LPe12002	v8.3.7.10.6p	Brocade 6505, 6510, 6520, DCX8510	v7.2.0a - v7.2.1d	HUS 100, HUS VM, VSP, VSP G1000
		No	N/A	N/A	Emulex LPe12000, LPe12002	v8.3.7.10.6p	Cisco 9148, 9222i, 9506 (4Gb), 9506 (8Gb), 9509 (4Gb), 9509 (8Gb), 9513, 9513 (8Gb)	v6.2(1) - v6.2(11)	HUS 100, HUS VM, VSP, VSP G1000
		No	N/A	N/A	Emulex LPe1205-HI	v8.3.7.10.6p	Hitachi Blade Server Switch - 5460	v6.3.2d	HUS 100, HUS VM, VSP, VSP G1000
		Oracle Linux	Oracle Linux 5.5 (X64)	No	N/A	N/A	Emulex LPe11000, LPe11002	Brocade 300, 5100, 5300, 7800, 8000, DCX, DCX-4s	v7.0.0 - v7.0.2e
No	N/A			N/A	Emulex LPe1205-HI	v8.3.5.8.2p	Hitachi Blade Server Switch - 5460	v6.3.2d	HUS VM, VSP, VSP G1000
Oracle Linux 5.8 (X64)	No		N/A	N/A	Emulex LPe11000, LPe11002	v8.3.5.68.4p	Brocade 300, 5100, 5300, 7800, 8000, DCX, DCX-4s	v7.0.0 - v7.0.2e	HUS VM, VSP, VSP G1000
	No		N/A	N/A	Emulex LPe1205-HI	v8.3.5.68.4p	Hitachi Blade Server Switch - 5460	v6.3.2d	HUS VM, VSP, VSP G1000
Oracle Linux 6.1 (X64)	No		N/A	N/A	Emulex LPe11000, LPe11002	Bundled	Brocade 300, 5100, 5300, 7800, 8000, DCX, DCX-4s	v7.0.0 - v7.0.2e	HUS VM, VSP, VSP G1000
	No		N/A	N/A	Emulex LPe12000, LPe12002	Bundled	Brocade 300, 5100, 5300, 7800, 8000, DCX, DCX-4s	v7.0.0 - v7.0.2e	HUS VM, VSP, VSP G1000
	No		N/A	N/A	Emulex LPe1205-HI	Bundled	Hitachi Blade Server Switch - 5460	v6.3.2d	HUS VM, VSP, VSP G1000
Oracle Linux 6.2 (X64)	No		N/A	N/A	Emulex LPe11000, LPe11002	Bundled	Brocade 300, 5100, 5300, 7800, 8000, DCX, DCX-4s	v7.0.0 - v7.0.2e	HUS VM, VSP, VSP G1000
	No		N/A	N/A	Emulex LPe12000, LPe12002	Bundled	Brocade 300, 5100, 5300, 7800, 8000, DCX, DCX-4s	v7.0.0 - v7.0.2e	HUS VM, VSP, VSP G1000
	No		N/A	N/A	Emulex LPe1205-HI	Bundled	Hitachi Blade Server Switch - 5460	v6.3.2d	HUS VM, VSP, VSP G1000

Oracle Linux 6.3 (X64)	No	N/A	N/A	Brocade 1860	v3.2.1.0	Brocade 300, 5100, 5300, 7800, 8000, DCX, DCX-4s	v7.1.0a - v7.1.2b	HUS VM, VSP, VSP G1000	
	No	N/A	N/A	Brocade 1860	v3.2.1.0	Cisco 9148, 9222i, 9506 (4Gb), 9506 (8Gb), 9509 (4Gb), 9509 (8Gb), 9513, 9513 (8Gb)	v6.2(1) - v6.2(11)	HUS VM, VSP, VSP G1000	
	No	N/A	N/A	QLogic QLE2672	v8.04.00.06.06.0-k	QLogic 5800, 5802	v8.0.13.8	HUS VM, VSP, VSP G1000	
Oracle Linux 6.4 (X64)	No	N/A	N/A	Emulex LPe12000, LPe12002	v8.3.5.86.2p	Brocade 300, 5100, 5300, 7800, 8000, DCX, DCX-4s	v7.2.0a - v7.2.1d	HUS 100, HUS VM, VSP, VSP G1000	
	No	N/A	N/A	Emulex LPe12000, LPe12002	v8.3.5.86.2p	Brocade 6505, 6510, 6520, DCX8510	v7.2.0a - v7.2.1d	HUS 100, HUS VM, VSP, VSP G1000	
	No	N/A	N/A	Emulex LPe12000, LPe12002	v8.3.5.86.2p	Cisco 9148, 9222i, 9506 (4Gb), 9506 (8Gb), 9509 (4Gb), 9509 (8Gb), 9513, 9513 (8Gb)	v6.2(1) - v6.2(11)	HUS 100, HUS VM, VSP, VSP G1000	
	No	N/A	N/A	Emulex LPe12000, LPe12002	v8.3.5.86.2p	Brocade 5460	v6.3.2d	HUS 100, HUS VM, VSP, VSP G1000	
Oracle Virtual Machine (OVM)	OVM 3.2.1 (X64)	No	N/A	N/A	Emulex LPe11000, LPe11002	v8.3.5.82.2p	Brocade 300, 5100, 5300, 7800, 8000, DCX, DCX-4s	v7.1.0a - v7.1.2b	HUS 100, HUS VM, VSP, VSP G1000
		No	N/A	N/A	Emulex LPe11000, LPe11002	v8.3.5.82.2p	Cisco 9148, 9222i, 9506 (4Gb), 9506 (8Gb), 9509 (4Gb), 9509 (8Gb), 9513, 9513 (8Gb)	v5.2(1) - v5.2(8c)	HUS 100, HUS VM, VSP, VSP G1000
		No	N/A	N/A	Emulex LPe12000, LPe12002	v8.3.5.82.2p	Brocade 300, 5100, 5300, 7800, 8000, DCX, DCX-4s	v7.1.0a - v7.1.2b	HUS 100, HUS VM, VSP, VSP G1000
		No	N/A	N/A	Emulex LPe12000, LPe12002	v8.3.5.82.2p	Cisco 9148, 9222i, 9506 (4Gb), 9506 (8Gb), 9509 (4Gb), 9509 (8Gb), 9513, 9513 (8Gb)	v5.2(1) - v5.2(8c)	HUS 100, HUS VM, VSP, VSP G1000
		No	N/A	N/A	Emulex LPe1205-HI	v8.3.5.82.2p	Hitachi Blade Server Switch - 5460	v6.3.2d	HUS 100, HUS VM, VSP, VSP G1000
Oracle Solaris	Solaris 10 U10 (X64)	No	N/A	N/A	Emulex LPe12000, LPe12002	Bundled	Brocade 300, 5100, 5300, 7800, 8000, DCX, DCX-4s	v7.0.0 - v7.0.2e	HUS VM, VSP, VSP G1000
		No	N/A	N/A	Emulex LPe1205-HI	Bundled	Hitachi Blade Server Switch - 5460	v6.3.2d	HUS VM, VSP, VSP G1000
	Solaris 11 (X64)	No	N/A	N/A	Emulex LPe11000, LPe11002	Bundled	Brocade 300, 5100, 5300, 7800, 8000, DCX, DCX-4s	v7.0.0 - v7.0.2e	HUS VM, VSP, VSP G1000
		No	N/A	N/A	Emulex LPe11000, LPe11002	Bundled	Brocade 300, 5100, 5300, 7800, 8000, DCX, DCX-4s	v7.1.0a - v7.1.2b	HUS 100, HUS VM, VSP, VSP G1000
		No	N/A	N/A	Emulex LPe11000, LPe11002	Bundled	Cisco 9148, 9222i, 9506 (4Gb), 9506 (8Gb), 9509 (4Gb), 9509 (8Gb), 9513, 9513 (8Gb)	v6.2(1) - v6.2(11)	HUS 100, HUS VM, VSP, VSP G1000
		No	N/A	N/A	Emulex LPe12000, LPe12002	Bundled	Brocade 300, 5100, 5300, 7800, 8000, DCX, DCX-4s	v7.0.0 - v7.0.2e	HUS VM, VSP, VSP G1000
	Solaris 11.1 (X64)	No	N/A	N/A	Emulex LPe12000, LPe12002	Bundled	Brocade 5460	v6.3.2d	HUS 100, HUS VM, VSP, VSP G1000
		No	N/A	N/A	Emulex LPe12000, LPe12002	Bundled	Brocade 300, 5100, 5300, 7800, 8000, DCX, DCX-4s	v7.1.0a - v7.1.2b	HUS 100, HUS VM, VSP, VSP G1000
		No	N/A	N/A	Emulex LPe12000, LPe12002	Bundled	Cisco 9148, 9222i, 9506 (4Gb), 9506 (8Gb), 9509 (4Gb), 9509 (8Gb), 9513, 9513 (8Gb)	v6.2(1) - v6.2(11)	HUS 100, HUS VM, VSP, VSP G1000
		No	N/A	N/A	Emulex LPe12000, LPe12002	Bundled	Brocade 5460	v6.3.2d	HUS 100, HUS VM, VSP, VSP G1000
No	N/A	N/A	Emulex LPe1205-HI	Bundled	Hitachi Blade Server Switch - 5460	v6.3.2d	HUS VM, VSP, VSP G1000		

VMWare	VMWare 5.0 (X64)	No	N/A	N/A	Brocade 1860	v3.1.0.0	Nexus 5010-2232pp, 5020, 5548p, 5548up, 5548up-2232pp, 5596T-2232TM-E, 5596up	v5.2(1)N1(1) - v5.2(1)N1(8b)	HUS VM, VSP (FCoE)
		No	N/A	N/A	Brocade 1860	v3.1.0.0	Generic DCB IP Switch	Any DCB 10GigE FW	HUS VM, VSP (FCoE)
		No	N/A	N/A	Emulex OCe11102	Bundled	Nexus 5010-2232pp, 5020, 5548p, 5548up, 5548up-2232pp, 5596T-2232TM-E, 5596up	v5.2(1)N1(1) - v5.2(1)N1(8b)	HUS VM, VSP (FCoE)
		No	N/A	N/A	Emulex OCe11102	Bundled	Generic DCB IP Switch	Any DCB 10GigE FW	HUS VM, VSP (FCoE)
		No	N/A	N/A	Hitachi HFCE0801, HFCE0802, HFCE0804	v4.28.16.1148	Brocade 300, 5100, 5300, 7800, 8000, DCX, DCX-4s	v7.0.0 - v7.0.2e	HUS 100, HUS VM, VSP, VSP G1000
		No	N/A	N/A	Hitachi HFCE0801, HFCE0802, HFCE0804	v4.28.16.1148	Cisco 9148, 9222i, 9506 (4Gb), 9506 (8Gb), 9509 (4Gb), 9509 (8Gb), 9513, 9513 (8Gb)	v5.2(1) - v5.2(8c)	HUS 100, HUS VM, VSP, VSP G1000
		No	N/A	N/A	QLogic QLE8152	Bundled	Nexus 5010-2232pp, 5020, 5548p, 5548up, 5548up-2232pp, 5596T-2232TM-E, 5596up	v5.2(1)N1(1) - v5.2(1)N1(8b)	HUS VM, VSP (FCoE)
		No	N/A	N/A	QLogic QLE8152	Bundled	Generic DCB IP Switch	Any DCB 10GigE FW	HUS VM, VSP (FCoE)
	VMWare 5.0 U1 (X64)	No	N/A	N/A	Hitachi HFCE0801, HFCE0802, HFCE0804	v4.28.16.1148	Brocade 300, 5100, 5300, 7800, 8000, DCX, DCX-4s	v7.0.0 - v7.0.2e	HUS VM, VSP, VSP G1000
	VMWare 5.0 U2 (X64)	No	N/A	N/A	Hitachi HFCE0801, HFCE0802, HFCE0804	v4.28.16.1148	Brocade 300, 5100, 5300, 7800, 8000, DCX, DCX-4s	v7.0.0 - v7.0.2e	HUS 100, HUS VM, VSP, VSP G1000
		No	N/A	N/A	Hitachi HFCE0801, HFCE0802, HFCE0804	v4.28.16.1148	Cisco 9148, 9222i, 9506 (4Gb), 9506 (8Gb), 9509 (4Gb), 9509 (8Gb), 9513, 9513 (8Gb)	v5.2(1) - v5.2(8c)	HUS 100, HUS VM, VSP, VSP G1000
		No	N/A	N/A	Hitachi HFCE0801, HFCE0802, HFCE0804	v4.28.16.1158	Brocade 300, 5100, 5300, 7800, 8000, DCX, DCX-4s	v7.2.0a - v7.2.1d	HUS 100, HUS VM, VSP, VSP G1000
		No	N/A	N/A	Hitachi HFCE0801, HFCE0802, HFCE0804	v4.28.16.1158	Brocade 6505, 6510, 6520, DCX8510	v7.2.0a - v7.2.1d	HUS 100, HUS VM, VSP, VSP G1000
		No	N/A	N/A	Hitachi HFCE0801, HFCE0802, HFCE0804	v4.28.16.1158	Cisco 9148, 9222i, 9506 (4Gb), 9506 (8Gb), 9509 (4Gb), 9509 (8Gb), 9513, 9513 (8Gb)	v6.2(1) - v6.2(11)	HUS 100, HUS VM, VSP, VSP G1000
	VMWare 5.0 U3 (X64)	No	N/A	N/A	Hitachi HFCE0801, HFCE0802, HFCE0804	v4.28.16.1148	Brocade 300, 5100, 5300, 7800, 8000, DCX, DCX-4s	v7.0.0 - v7.0.2e	HUS 100, HUS VM, VSP, VSP G1000
		No	N/A	N/A	Hitachi HFCE0801, HFCE0802, HFCE0804	v4.28.16.1148	Cisco 9148, 9222i, 9506 (4Gb), 9506 (8Gb), 9509 (4Gb), 9509 (8Gb), 9513, 9513 (8Gb)	v5.2(1) - v5.2(8c)	HUS 100, HUS VM, VSP, VSP G1000
	VMWare 5.1 (X64)	No	N/A	N/A	Emulex LPe12000, LPe12002	Bundled	Brocade 300, 5100, 5300, 7800, 8000, DCX, DCX-4s	v7.0.0 - v7.0.2e	HUS 100, HUS VM, VSP, VSP G1000
		No	N/A	N/A	Emulex LPe12000, LPe12002	Bundled	Cisco 9148, 9222i, 9506 (4Gb), 9506 (8Gb), 9509 (4Gb), 9509 (8Gb), 9513, 9513 (8Gb)	v5.2(1) - v5.2(8c)	HUS 100, HUS VM, VSP, VSP G1000
		No	N/A	N/A	Emulex LPe1205-HI	Bundled	Hitachi Blade Server Switch - 5460	v6.3.2d	HUS 100, HUS VM, VSP, VSP G1000
		No	N/A	N/A	Emulex LPe16000, LPe16002	v8.2.3.1-127vmw	Brocade 6505, 6510, 6520, DCX8510	v7.1.0a - v7.1.2b	HUS VM, VSP, VSP G1000
		No	N/A	N/A	Emulex LPe16000, LPe16002	v8.2.3.1-127vmw	Cisco 9710	v6.2(1) - v6.2(11)	HUS VM, VSP, VSP G1000
		No	N/A	N/A	Emulex OCm11104-F2	v8.2.3.1-127vmw	Brocade 300, 5100, 5300, 7800, 8000, DCX, DCX-4s	v7.0.0 - v7.0.2e	HUS 100, HUS VM, VSP, VSP G1000
		No	N/A	N/A	Emulex OCm11104-F2	v8.2.3.1-127vmw	Brocade VDX	v3.0.0a	HUS 100, HUS VM, VSP, VSP G1000
		No	N/A	N/A	Emulex OCm11104-F2	v8.2.3.1-127vmw	Nexus 5010-2232pp, 5020, 5548p, 5548up, 5548up-2232pp, 5596T-2232TM-E, 5596up	v5.1(3)N1(1) - v5.1(3)N2(1c), v5.2(1)N1(1) - v5.2(1)N1(8b)	HUS 100, HUS VM, VSP, VSP G1000
		No	N/A	N/A	Hitachi HFCE0801, HFCE0802, HFCE0804	v4.28.16.1158	Brocade 300, 5100, 5300, 7800, 8000, DCX, DCX-4s	v7.0.0 - v7.0.2e	HUS 100, HUS VM, VSP, VSP G1000
		No	N/A	N/A	Hitachi HFCE0801, HFCE0802, HFCE0804	v4.28.16.1158	Cisco 9148, 9222i, 9506 (4Gb), 9506 (8Gb), 9509 (4Gb), 9509 (8Gb), 9513, 9513 (8Gb)	v5.2(1) - v5.2(8c)	HUS 100, HUS VM, VSP, VSP G1000

VMWare 5.1 U1 (X64)	No	N/A	N/A	Hitachi HFCE0801, HFCE0802, HFCE0804	v4.28.16.1158	Brocade 300, 5100, 5300, 7800, 8000, DCX, DCX-4s	v7.2.0a - v7.2.1d	HUS 100, HUS VM, VSP, VSP G1000		
	No	N/A	N/A	Hitachi HFCE0801, HFCE0802, HFCE0804	v4.28.16.1158	Brocade 6505, 6510, 6520, DCX8510	v7.2.0a - v7.2.1d	HUS 100, HUS VM, VSP, VSP G1000		
	No	N/A	N/A	Hitachi HFCE0801, HFCE0802, HFCE0804	v4.28.16.1158	Cisco 9148, 9222i, 9506 (4Gb), 9506 (8Gb), 9509 (4Gb), 9509 (8Gb), 9513, 9513 (8Gb)	v6.2(1) - v6.2(11)	HUS 100, HUS VM, VSP, VSP G1000		
	No	N/A	N/A	Hitachi HFCE0801, HFCE0802, HFCE0804	v4.28.16.1158	Hitachi Blade Server Switch - 5460	v7.0.2c	HUS 100, HUS VM, VSP, VSP G1000		
VMWare 5.1 U2 (X64)	No	N/A	N/A	Hitachi HFCE0801, HFCE0802, HFCE0804	v4.28.16.1148	Brocade 300, 5100, 5300, 7800, 8000, DCX, DCX-4s	v7.0.0 - v7.0.2e	HUS VM, VSP, VSP G1000		
	No	N/A	N/A	Hitachi HFCE0801, HFCE0802, HFCE0804	v4.28.16.1148	Cisco 9148, 9222i, 9506 (4Gb), 9506 (8Gb), 9509 (4Gb), 9509 (8Gb), 9513, 9513 (8Gb)	v5.2(1) - v5.2(8c)	HUS VM, VSP, VSP G1000		
Windows	Windows 2008 R2 SP1 (X64)	No	N/A	N/A		Brocade 1860	v3.1.0.0	Nexus 5010-2232pp, 5020, 5548p, 5548up, 5548up-2232pp, 5596T-2232TM-E, 5596up	v5.2(1)N1(1) - v5.2(1)N1(8b)	HUS VM, VSP (FCoE)
		No	N/A	N/A		Brocade 1860	v3.1.0.0	Generic DCB IP Switch	Any DCB 10GigE FW	HUS VM, VSP (FCoE)
		No	N/A	N/A	Emulex LPe12000, LPe12002	v2.20.006	Brocade 300, 5100, 5300, 7800, 8000, DCX, DCX-4s	v7.0.0 - v7.0.2e, v7.1.0a - v7.1.2b	HUS 100, HUS VM, VSP, VSP G1000	
		No	N/A	N/A	Emulex LPe12000, LPe12002	v2.20.006	Cisco 9148, 9222i, 9506 (4Gb), 9506 (8Gb), 9509 (4Gb), 9509 (8Gb), 9513, 9513 (8Gb)	v5.2(1) - v5.2(8c)	HUS 100, HUS VM, VSP, VSP G1000	
		No	N/A	N/A	Emulex LPe1205-HI	v2.20.006	Hitachi Blade Server Switch - 5460	v6.3.2c, v6.3.2d	HUS 100, HUS VM, VSP, VSP G1000	
		No	N/A	N/A	Emulex LPe16000, LPe16002	v2.74.014.001	Brocade 6505, 6510, 6520, DCX8510	v7.1.0a - v7.1.2b	HUS VM, VSP, VSP G1000	
		No	N/A	N/A	Emulex LPe16000, LPe16002	v2.74.014.001	Cisco 9710	v6.2(1) - v6.2(11)	HUS VM, VSP, VSP G1000	
		No	N/A	N/A	Emulex OCe11102	v2.70.018	Brocade 8000	v7.1.0a - v7.1.2b	HUS VM, VSP (FCoE)	
		No	N/A	N/A	Emulex OCe11102	v2.70.018	Nexus 5010-2232pp, 5020, 5548p, 5548up, 5548up-2232pp, 5596T-2232TM-E, 5596up	v5.2(1)N1(1) - v5.2(1)N1(8b)	HUS VM, VSP (FCoE)	
		No	N/A	N/A	Emulex OCm11104-F2	v2.72.012.001	Brocade 300, 5100, 5300, 7800, 8000, DCX, DCX-4s	v7.0.0 - v7.0.2e	HUS 100, HUS VM, VSP, VSP G1000	
		No	N/A	N/A	Emulex OCm11104-F2	v2.72.012.001	Brocade VDX	v3.0.0a	HUS 100, HUS VM, VSP, VSP G1000	
		No	N/A	N/A	Emulex OCm11104-F2	v2.72.012.001	Nexus 5010-2232pp, 5020, 5548p, 5548up, 5548up-2232pp, 5596T-2232TM-E, 5596up	v5.1(3)N1(1) - v5.1(3)N2(1c), v5.2(1)N1(1) - v5.2(1)N1(8b)	HUS 100, HUS VM, VSP, VSP G1000	
		Yes	59-00 or higher	A0360 or higher 09-55 or higher 05-53 or higher	Hitachi HFCE0801, HFCE0802, HFCE0804	v4.2.6.800	Brocade 300, 5100, 5300, 7800, 8000, DCX, DCX-4s	v7.0.0 - v7.0.2e	HUS VM, VSP, VSP G1000	
		Yes	59-00 or higher	A0360 or higher 09-55 or higher 05-53 or higher	Hitachi HFCE0801, HFCE0802, HFCE0804	v4.2.6.800	Cisco 9148, 9222i, 9506 (4Gb), 9506 (8Gb), 9509 (4Gb), 9509 (8Gb), 9513, 9513 (8Gb)	v5.2(1) - v5.2(8c)	HUS VM, VSP, VSP G1000	
		Yes	59-00 or higher	A0360 or higher 09-55 or higher 05-53 or higher	Hitachi HFCE0801, HFCE0802, HFCE0804	v4.2.6.800	Hitachi Blade Server Switch - 5460	v6.3.2c	HUS VM, VSP, VSP G1000	
		Yes	59-00 or higher	A0360 or higher 09-55 or higher 05-53 or higher	Hitachi HFCE0801, HFCE0802, HFCE0804	v4.2.6.840	Brocade 300, 5100, 5300, 7800, 8000, DCX, DCX-4s	v7.0.0 - v7.0.2e	HUS 100, HUS VM, VSP, VSP G1000	
		Yes	59-00 or higher	A0360 or higher 09-55 or higher 05-53 or higher	Hitachi HFCE0801, HFCE0802, HFCE0804	v4.2.6.840	Cisco 9148, 9222i, 9506 (4Gb), 9506 (8Gb), 9509 (4Gb), 9509 (8Gb), 9513, 9513 (8Gb)	v5.2(1) - v5.2(8c)	HUS 100, HUS VM, VSP, VSP G1000	
		Yes	59-00 or higher	A0360 or higher 09-55 or higher 05-53 or higher	Hitachi HFCE0801, HFCE0802, HFCE0804	v4.2.6.840	Brocade 300, 5100, 5300, 7800, 8000, DCX, DCX-4s	v7.0.0 - v7.0.2e	HUS 100, HUS VM, VSP, VSP G1000	
		Yes	59-00 or higher	A0360 or higher 09-55 or higher 05-53 or higher	Hitachi HFCE0801, HFCE0802, HFCE0804	v4.2.6.840	Cisco 9148, 9222i, 9506 (4Gb), 9506 (8Gb), 9509 (4Gb), 9509 (8Gb), 9513, 9513 (8Gb)	v5.2(1) - v5.2(8c)	HUS 100, HUS VM, VSP, VSP G1000	
		No	N/A	N/A	QLogic QLE2560, QLE2562	v9.1.9.27	Brocade 300, 5100, 5300, 7800, 8000, DCX, DCX-4s	v7.0.0 - v7.0.2e	HUS VM, VSP, VSP G1000	
No	N/A	N/A	QLogic QLE2560, QLE2562	v9.1.9.27	Cisco 9148, 9222i, 9506 (4Gb), 9506 (8Gb), 9509 (4Gb), 9509 (8Gb), 9513, 9513 (8Gb)	v5.2(1) - v5.2(8c)	HUS VM, VSP, VSP G1000			

	No	N/A	N/A	QLogic QLE2672	v9.1.11.20	Brocade 6505, 6510, 6520, DCX8510	v7.1.0a - v7.1.2b	HUS VM, VSP, VSP G1000
	No	N/A	N/A	QLogic QLE2672	v9.1.11.20	Cisco 9710	v6.2(1) - v6.2(11)	HUS VM, VSP, VSP G1000
	No	N/A	N/A	QLogic QLE8152	v9.1.9.55	Nexus 5010-2232pp, 5020, 5548p, 5548up, 5548up-2232pp, 5596T-2232TM-E, 5596up	v5.2(1)N1(1) - v5.2(1)N1(8b)	HUS VM, VSP (FCoE)
	No	N/A	N/A	QLogic QLE8152	v9.1.9.55	Generic DCB IP Switch	Any DCB 10GigE FW	HUS VM, VSP (FCoE)
Windows 2008 SP2 (IA32)	Yes	59-00 or higher	A0360 or higher 09-55 or higher 05-53 or higher	Hitachi HFCE0801, HFCE0802, HFCE0804	v1.1.6.880	Brocade 300, 5100, 5300, 7800, 8000, DCX, DCX-4s	v7.0.0 - v7.0.2e	HUS 100, HUS VM, VSP, VSP G1000
	Yes	59-00 or higher	A0360 or higher 09-55 or higher 05-53 or higher	Hitachi HFCE0801, HFCE0802, HFCE0804	v1.1.6.880	Cisco 9148, 9222i, 9506 (4Gb), 9506 (8Gb), 9509 (4Gb), 9509 (8Gb), 9513, 9513 (8Gb)	v5.2(1) - v5.2(8c)	HUS 100, HUS VM, VSP, VSP G1000
Windows 2008 SP2 (X64)	No	N/A	N/A	Emulex LPe12000, LPe12002	v2.20.006	Brocade 300, 5100, 5300, 7800, 8000, DCX, DCX-4s	v7.0.0 - v7.0.2e	HUS VM, VSP, VSP G1000
	No	N/A	N/A	Emulex LPe1205-HI	v2.20.006	Hitachi Blade Server Switch - 5460	v6.3.2c	HUS VM, VSP, VSP G1000
	Yes	59-00 or higher	A0360 or higher 09-55 or higher 05-53 or higher	Hitachi HFCE0801, HFCE0802, HFCE0804	Bundled	Brocade 300, 5100, 5300, 7800, 8000, DCX, DCX-4s	v7.0.0 - v7.0.2e	HUS VM, VSP, VSP G1000
	Yes	59-00 or higher	A0360 or higher 09-55 or higher 05-53 or higher	Hitachi HFCE0801, HFCE0802, HFCE0804	Bundled	Hitachi Blade Server Switch - 5460	v6.3.2c	HUS VM, VSP, VSP G1000
	Yes	59-00 or higher	A0360 or higher 09-55 or higher 05-53 or higher	Hitachi HFCE0801, HFCE0802, HFCE0804	v4.1.6.880	Brocade 300, 5100, 5300, 7800, 8000, DCX, DCX-4s	v7.0.0 - v7.0.2e	HUS 100, HUS VM, VSP, VSP G1000
	Yes	59-00 or higher	A0360 or higher 09-55 or higher 05-53 or higher	Hitachi HFCE0801, HFCE0802, HFCE0804	v4.1.6.880	Cisco 9148, 9222i, 9506 (4Gb), 9506 (8Gb), 9509 (4Gb), 9509 (8Gb), 9513, 9513 (8Gb)	v5.2(1) - v5.2(8c)	HUS 100, HUS VM, VSP, VSP G1000
	No	N/A	N/A	QLogic QLE2560, QLE2562	v9.1.9.27	Brocade 300, 5100, 5300, 7800, 8000, DCX, DCX-4s	v7.0.0 - v7.0.2e	HUS VM, VSP, VSP G1000
Windows Server 2012	No	N/A	N/A	Emulex OCm11104-F2	v2.72.012.001	Brocade 300, 5100, 5300, 7800, 8000, DCX, DCX-4s	v7.0.0 - v7.0.2e	HUS 100, HUS VM, VSP, VSP G1000
	No	N/A	N/A	Emulex OCm11104-F2	v2.72.012.001	Brocade VDX	v3.0.0a	HUS 100, HUS VM, VSP, VSP G1000
	No	N/A	N/A	Emulex OCm11104-F2	v2.72.012.001	Nexus 5010-2232pp, 5020, 5548p, 5548up, 5548up-2232pp, 5596T-2232TM-E, 5596up	v5.1(3)N1(1) - v5.1(3)N2(1c), v5.2(1)N1(1) - v5.2(1)N1(8b)	HUS 100, HUS VM, VSP, VSP G1000
	Yes	59-31 or higher	A0360 or higher 09-55 or higher 05-53 or higher	Hitachi HFCE0801, HFCE0802, HFCE0804	v4.2.6.840	Brocade 300, 5100, 5300, 7800, 8000, DCX, DCX-4s	v7.0.0 - v7.0.2e	HUS 100, HUS VM, VSP, VSP G1000
	Yes	59-31 or higher	A0360 or higher 09-55 or higher 05-53 or higher	Hitachi HFCE0801, HFCE0802, HFCE0804	v4.2.6.840	Cisco 9148, 9222i, 9506 (4Gb), 9506 (8Gb), 9509 (4Gb), 9509 (8Gb), 9513, 9513 (8Gb)	v5.2(1) - v5.2(8c)	HUS 100, HUS VM, VSP, VSP G1000
	Yes	59-31 or higher	A0360 or higher 09-55 or higher 05-53 or higher	Hitachi HFCE0801, HFCE0802, HFCE0804	v4.3.7.1110	Brocade 6505, 6510, 6520, DCX8510	v7.2.0a - v7.2.1d	HUS 100, HUS VM, VSP, VSP G1000
	Yes	59-31 or higher	A0360 or higher 09-55 or higher 05-53 or higher	Hitachi HFCE0801, HFCE0802, HFCE0804	v4.3.7.1110	Hitachi Blade Server Switch - 5460	v7.0.2c	HUS 100, HUS VM, VSP, VSP G1000

	Windows Server 2012 R2	No	N/A	N/A	Hitachi HFCE0801, HFCE0802, HFCE0804	v4.4.7.1110	Brocade 300, 5100, 5300, 7800, 8000, DCX, DCX-4s	v7.2.0a - v7.2.1d	HUS 100, HUS VM, VSP, VSP G1000
		No	N/A	N/A	Hitachi HFCE0801, HFCE0802, HFCE0804	v4.4.7.1110	Brocade 6505, 6510, 6520, DCX8510	v7.2.0a - v7.2.1d	HUS 100, HUS VM, VSP, VSP G1000
		No	N/A	N/A	Hitachi HFCE0801, HFCE0802, HFCE0804	v4.4.7.1110	Cisco 9148, 9222i, 9506 (4Gb), 9506 (8Gb), 9509 (4Gb), 9509 (8Gb), 9513, 9513 (8Gb)	v6.2(1) - v6.2(11)	HUS 100, HUS VM, VSP, VSP G1000
		No	N/A	N/A	Hitachi HFCE0801, HFCE0802, HFCE0804	v4.4.7.1110	Hitachi Blade Server Switch - 5460	v7.0.2c	HUS 100, HUS VM, VSP, VSP G1000
Citrix XENServer	XENServer 6.0 (X64)	No	N/A	N/A	Emulex LPe11000, LPe11002	Bundled	Brocade 300, 5100, 5300, 7800, 8000, DCX, DCX-4s	v7.0.0 - v7.0.2e	HUS VM, VSP, VSP G1000
		No	N/A	N/A	Emulex LPe11000, LPe11002	Bundled	Cisco 9148, 9222i, 9506 (4Gb), 9506 (8Gb), 9509 (4Gb), 9509 (8Gb), 9513, 9513 (8Gb)	v5.2(1) - v5.2(8c)	HUS VM, VSP, VSP G1000
		No	N/A	N/A	Emulex LPe12000, LPe12002	Bundled	Brocade 300, 5100, 5300, 7800, 8000, DCX, DCX-4s	v7.0.0 - v7.0.2e	HUS VM, VSP, VSP G1000
		No	N/A	N/A	Emulex LPe12000, LPe12002	Bundled	Cisco 9148, 9222i, 9506 (4Gb), 9506 (8Gb), 9509 (4Gb), 9509 (8Gb), 9513, 9513 (8Gb)	v5.2(1) - v5.2(8c)	HUS VM, VSP, VSP G1000
		No	N/A	N/A	Emulex LPe1205-HI	Bundled	Hitachi Blade Server Switch - 5460	v6.3.2d	HUS VM, VSP, VSP G1000
	XENServer 6.1 (X64)	No	N/A	N/A	Emulex LPe11000, LPe11002	v8.3.5.77.1p	Brocade 300, 5100, 5300, 7800, 8000, DCX, DCX-4s	v7.1.0a - v7.1.2b	HUS VM, VSP, VSP G1000
		No	N/A	N/A	Emulex LPe11000, LPe11002	v8.3.5.77.1p	Cisco 9148, 9222i, 9506 (4Gb), 9506 (8Gb), 9509 (4Gb), 9509 (8Gb), 9513, 9513 (8Gb)	v5.2(1) - v5.2(8c)	HUS VM, VSP, VSP G1000
		No	N/A	N/A	Emulex LPe12000, LPe12002	v8.3.5.77.1p	Brocade 300, 5100, 5300, 7800, 8000, DCX, DCX-4s	v7.1.0a - v7.1.2b	HUS VM, VSP, VSP G1000
		No	N/A	N/A	Emulex LPe12000, LPe12002	v8.3.5.77.1p	Cisco 9148, 9222i, 9506 (4Gb), 9506 (8Gb), 9509 (4Gb), 9509 (8Gb), 9513, 9513 (8Gb)	v5.2(1) - v5.2(8c)	HUS VM, VSP, VSP G1000
		No	N/A	N/A	Emulex LPe1205-HI	v8.3.5.77.1p	Hitachi Blade Server Switch - 5460	v6.3.2d	HUS VM, VSP, VSP G1000

N+M support HCSM 7.5.1 or later							
Blade Model	OS	OS versions	Basic mode	HVM/LPAR mode	HBA/CNA model	HBA/CNA driver	
CB 2000 X55R3 (GVAX55R3) CB 2000 X55S3 (GVAX55S3)	RedHat Enterprise Linux (RHEL)	RHEL 5.9 (X64)	Yes	No	Emulex LPe12000, LPe12002, LPe1205-HI	v8.2.0.128.3p	
		RHEL 6.1 (X64)	Yes	No	Brocade 1860	v3.1.0.0	
			Yes	No	Emulex OCe11102	v8.3.5.30.1p	
			Yes	No	Hitachi HFCE0801, HFCE0802, HFCE0804	v4.6.17.2096	
			Yes	No	QLogic QLE8152	v8.03.07.13.06.0-k	
		RHEL 6.2 (IA32)	Yes	Yes GVAX55S3 only	Hitachi HFCE0801, HFCE0802, HFCE0804	v1.6.17.2096	
			Yes	No	QLogic QLE2560, QLE2562	v8.03.07.05.06.2-k	
		RHEL 6.2 (X64)	Yes	No	Brocade 1860	v3.1.0.0	
			Yes	No	Emulex LPe12000, LPe12002	v8.3.5.45.4p	
			Yes	No	Emulex LPe1205-HI	v8.3.5.45.4p	
			Yes	No	Emulex OCm11104-F2	v8.3.5.45.4p	
			Yes	Yes GVAX55S3 only	Hitachi HFCE0801, HFCE0802, HFCE0804	v4.6.17.2096	
			Yes	No	QLogic QLE2672	v8.04.00.06.06.0-k	
		RHEL 6.3 (X64)	Yes	No	Emulex LPe11000, LPe11002	v8.3.5.68.5p	
			Yes	No	Emulex LPe12000, LPe12002	v8.3.5.68.5p	
			Yes	No	Emulex LPe1205-HI	v8.3.5.68.5p	
		RHEL 6.4 (IA32)	Yes	Yes GVAX55S3 only	Hitachi HFCE0801, HFCE0802, HFCE0804	v1.6.17.2114	
		RHEL 6.4 (X64)	Yes	No	Brocade 1860	v3.1.0.0	
			Yes	No	Emulex LPe11000, LPe11002	v8.3.5.86.1p	
			Yes	No	Emulex LPe12000, LPe12002	v8.3.5.86.1p	
			Yes	Yes GVAX55S3 only	Hitachi HFCE0801, HFCE0802, HFCE0804	v4.6.17.2104	
			Yes	Yes GVAX55S3 only	Hitachi HFCE0801, HFCE0802, HFCE0804	v4.6.17.2114	
			Yes	No	QLogic QLE2672	v8.04.00.08.06.4-k	
		Suse Linux Enterprise Server (SLES)	SLES 11 SP2 (X64)	Yes	No	Emulex LPe11000, LPe11002	v8.3.5.48.2p
				Yes	No	Emulex LPe12000, LPe12002	v8.3.5.48.2p
				Yes	No	Emulex LPe1205-HI	v8.3.5.48.2p
				Yes	No	QLogic QLE2672	v8.05.00.03.11.1-k
SLES 11 SP3 (X64)	Yes		No	Emulex LPe12000, LPe12002	v8.3.7.10.6p		
	Yes		No	Emulex LPe1205-HI	v8.3.7.10.6p		

Oracle Linux	Oracle Linux 5.5 (X64)	Yes	No	Emulex LPe11000, LPe11002	v8.3.5.8.2p
		Yes	No	Emulex LPe1205-HI	v8.3.5.8.2p
	Oracle Linux 5.8 (X64)	Yes	No	Emulex LPe11000, LPe11002	v8.3.5.68.4p
		Yes	No	Emulex LPe1205-HI	v8.3.5.68.4p
	Oracle Linux 6.1 (X64)	Yes	No	Emulex LPe11000, LPe11002	Bundled
		Yes	No	Emulex LPe12000, LPe12002	Bundled
		Yes	No	Emulex LPe1205-HI	Bundled
	Oracle Linux 6.2 (X64)	Yes	No	Emulex LPe11000, LPe11002	Bundled
		Yes	No	Emulex LPe12000, LPe12002	Bundled
		Yes	No	Emulex LPe1205-HI	Bundled
	Oracle Linux 6.3 (X64)	Yes	No	Brocade 1860	v3.2.1.0
		Yes	No	QLogic QLE2672	v8.04.00.06.06.0-k
Oracle Linux 6.4 (X64)	Yes	No	Emulex LPe12000, LPe12002	v8.3.5.86.2p	
Oracle Virtual Machine (OVM)	OVM 3.2.1 (X64)	Yes	No	Emulex LPe11000, LPe11002	v8.3.5.82.2p
		Yes	No	Emulex LPe12000, LPe12002	v8.3.5.82.2p
		Yes	No	Emulex LPe1205-HI	v8.3.5.82.2p
Oracle Solaris	Solaris 10 U10 (X64)	Yes	No	Emulex LPe12000, LPe12002	Bundled
		Yes	No	Emulex LPe1205-HI	Bundled
	Solaris 11 (X64)	Yes	No	Emulex LPe11000, LPe11002	Bundled
		Yes	No	Emulex LPe12000, LPe12002	Bundled
	Solaris 11.1 (X64)	Yes	No	Emulex LPe12000, LPe12002	Bundled
VMWare	VMWare 5.0 (X64)	Yes	No	Brocade 1860	v3.1.0.0
		Yes	No	Emulex OCe11102	Bundled
		Yes	No	Hitachi HFCE0801, HFCE0802, HFCE0804	v4.28.16.1148
		Yes	No	QLogic QLE8152	Bundled
	VMWare 5.0 U1 (X64)	Yes	No	Hitachi HFCE0801, HFCE0802, HFCE0804	v4.28.16.1148
	VMWare 5.0 U2 (X64)	Yes	No	Hitachi HFCE0801, HFCE0802, HFCE0804	v4.28.16.1148
		Yes	No	Hitachi HFCE0801, HFCE0802, HFCE0804	v4.28.16.1158
	VMWare 5.0 U3 (X64)	Yes	No	Hitachi HFCE0801, HFCE0802, HFCE0804	v4.28.16.1148
	VMWare 5.1 (X64)	Yes	No	Emulex LPe12000, LPe12002	Bundled
		Yes	No	Emulex LPe1205-HI	Bundled
		Yes	No	Emulex LPe16000, LPe16002	v8.2.3.1-127vmw
		Yes	No	Emulex OCm11104-F2	v8.2.3.1-127vmw
		Yes	No	Hitachi HFCE0801, HFCE0802, HFCE0804	v4.28.16.1158
	VMWare 5.1 U1 (X64)	Yes	No	Hitachi HFCE0801, HFCE0802, HFCE0804	v4.28.16.1158
	VMWare 5.1 U2 (X64)	Yes	No	Hitachi HFCE0801, HFCE0802, HFCE0804	v4.28.16.1148

Windows	Windows 2008 R2 SP1 (X64)	Yes	No	Brocade 1860	v3.1.0.0
		Yes	No	Emulex LPe12000, LPe12002	v2.20.006
		Yes	No	Emulex LPe1205-HI	v2.20.006
		Yes	No	Emulex LPe16000, LPe16002	v2.74.014.001
		Yes	No	Emulex OCe11102	v2.70.018
		Yes	No	Emulex OCm11104-F2	v2.72.012.001
		Yes	Yes GVAX5553 only	Hitachi HFCE0801, HFCE0802, HFCE0804	v4.2.6.800
		Yes	No	QLogic QLE2560, QLE2562	v9.1.9.27
		Yes	No	QLogic QLE2672	v9.1.11.20
		Yes	No	QLogic QLE8152	v9.1.9.55
	Windows 2008 SP2 (IA32)	Yes	Yes GVAX5553 only	Hitachi HFCE0801, HFCE0802, HFCE0804	v1.1.6.880
	Windows 2008 SP2 (X64)	Yes	No	Emulex LPe12000, LPe12002	v2.20.006
		Yes	No	Emulex LPe1205-HI	v2.20.006
		Yes	Yes GVAX5553 only	Hitachi HFCE0801, HFCE0802, HFCE0804	v4.1.6.880
		Yes	No	QLogic QLE2560, QLE2562	v9.1.9.27
	Windows Server 2012	Yes	No	Emulex OCm11104-F2	v2.72.012.001
		Yes	No	Hitachi HFCE0801, HFCE0802, HFCE0804	v4.2.6.840
		Yes	No	Hitachi HFCE0801, HFCE0802, HFCE0804	v4.3.7.1110
	Windows Server 2012 R2	Yes	No	Hitachi HFCE0801, HFCE0802, HFCE0804	v4.3.7.1110
	Citrix XENServer	XENServer 6.0 (X64)	Yes	No	Emulex LPe11000, LPe11002
Yes			No	Emulex LPe12000, LPe12002	Bundled
Yes			No	Emulex LPe1205-HI	Bundled
XENServer 6.1 (X64)		Yes	No	Emulex LPe11000, LPe11002	v8.3.5.77.1p
		Yes	No	Emulex LPe12000, LPe12002	v8.3.5.77.1p
		Yes	No	Emulex LPe1205-HI	v8.3.5.77.1p

3rd Party PCIe card support			
Blade Model	PCIe card in IOCD	PCIe card in IOD (IOEU)	InterOp File version
CB 2000 X55R3 (GVAX55R3)	Brocade 1860	Brocade 1860	CR01-03
	Emulex LPe12002	Emulex LPe12002	-
CB 2000 X55S3 (GVAX55S3)	Emulex LPe16002B	Emulex LPe16002B	CR01-04
	Fusion-io ioDrive2	Fusion-io ioDrive2	-
	LSI Nytro MegaRAID NMR 8120-4i	LSI Nytro MegaRAID NMR 8120-4i	CR01-06
	Mellanox MHQH29-XTC	Mellanox MHQH29-XTC	CR01-02
	NVIDIA NVS 300 x1	Not supported	CR01-04
	QLogic QLE2562	QLogic QLE2562	CR01-01
	QLogic QLE2564	QLogic QLE2564	CR01-03
	QLogic QLE2672	QLogic QLE2672	CR01-06

OS Server Certification			Link to the vendor HCL
Blade Model	OS	OS versions	
CB 2000 X55R3 (GVAX55R3)	Citrix Xenserver	6.2	Citrix HCL
	Oracle Linux	5.8, 5.9, 5.10, 6.1, 6.2, 6.3, 6.4	Oracle Linux HCL
	Oracle VM	3.1, 3.2	Oracle VM HCL
	RedHat Enterprise Linux (RHEL)	RHEL 5.7 - 5.11, 6.1 - 6.5	RedHat Customer Portal
	Windows	Windows 2008, 2008 R2, 2012, 2012 R2 (X64)	Windows Server Catalog
	SUSE	SLES 10 SP4, 11 SP1, SP2, SP3	SUSE YES Certification
	Vmware	ESX 4.1 U2 - U3, ESXi 5.0, 5.0 U1 - U3, 5.1, 5.1 U1 - U2, 5.5, 5.5 U1 - U2	VMWare Compatibility Guide
CB 2000 X55S3 (GVAX55S3)	Citrix Xenserver	6.0, 6.1, 6.2	Citrix HCL
	Oracle Linux	5.8, 5.9, 5.10, 6.1, 6.2, 6.3, 6.4, 6.5	Oracle Linux HCL
	Oracle VM	3.1, 3.2	Oracle VM HCL
	RedHat Enterprise Linux (RHEL)	RHEL 5.7 - 5.11, 6.1 - 6.5	RedHat Customer Portal
	Windows	Windows 2008, 2008 R2, 2012, 2012 R2 (X64)	Windows Server Catalog
	SUSE	SLES 10 SP4, 11 SP1, SP2	SUSE YES Certification
	Vmware	ESX 4.1 U2 - U3, ESXi 5.0, 5.0 U1 - U3, 5.1, 5.1 U1 - U2, 5.5, 5.5 U1 - U2	VMWare Compatibility Guide

HDS support for Hitachi CB 2000 X55R4/S4 Server Blade

CB 2000 Server										
Model	OS	OS version	HVM/LPAR support	HVM/LPAR Manager version	SVP, EFI, BMC versions	HBA/CNA model	HBA/CNA driver	FC/FCoE switch model	FC/FCoE switch f/w	HDS storage array
CB 2000 X55R4 (GVAX55R4) CB 2000 X55S4 (GVAX55S4)	RedHat Enterprise Linux (RHEL)	RHEL 6.4 (IA32)	Yes	59-51 or higher	A0365 or higher 11-16 or higher 07-05 or higher	Hitachi HFCE0801, HFCE0802, HFCE0804	v1.6.17.2114	Brocade 300, 5100, 5300, 7800, 8000, DCX, DCX-4s	v7.2.0a - v7.2.1d	HUS 100, HUS VM, VSP, VSP G1000
			Yes	59-51 or higher	A0365 or higher 11-16 or higher 07-05 or higher	Hitachi HFCE0801, HFCE0802, HFCE0804	v1.6.17.2114	Brocade 6505, 6510, 6520, DCX8510	v7.2.0a - v7.2.1d	HUS 100, HUS VM, VSP, VSP G1000
			Yes	59-51 or higher	A0365 or higher 11-16 or higher 07-05 or higher	Hitachi HFCE0801, HFCE0802, HFCE0804	v1.6.17.2114	Cisco 9148, 9222i, 9506 (4Gb), 9506 (8Gb), 9509 (4Gb), 9509 (8Gb), 9513, 9513 (8Gb)	v6.2(1) - v6.2(11)	HUS 100, HUS VM, VSP, VSP G1000

RHEL 6.4 (X64)	No	N/A	N/A	Emulex LPe12000, LPe12002	v8.3.5.86.1p	Brocade 300, 5100, 5300, 7800, 8000, DCX, DCX-4s	v7.2.0a - v7.2.1d	HUS 100, HUS VM, VSP, VSP G1000	
	No	N/A	N/A	Emulex LPe12000, LPe12002	v8.3.5.86.1p	Brocade 6505, 6510, 6520, DCX8510	v7.2.0a - v7.2.1d	HUS 100, HUS VM, VSP, VSP G1000	
	No	N/A	N/A	Emulex LPe12000, LPe12002	v8.3.5.86.1p	Cisco 9148, 9222i, 9506 (4Gb), 9506 (8Gb), 9509 (4Gb), 9509 (8Gb), 9513, 9513 (8Gb)	v6.2(1) - v6.2(11)	HUS 100, HUS VM, VSP, VSP G1000	
	No	N/A	N/A	Emulex LPe1205-HI	v8.3.5.86.1p	Hitachi Blade Server Switch - 5460	v7.0.2c	HUS 100, HUS VM, VSP, VSP G1000	
	Yes	59-51 or higher	A0365 or higher 11-16 or higher 07-05 or higher	Hitachi HFCE0801, HFCE0802, HFCE0804	v4.6.17.2114	Brocade 300, 5100, 5300, 7800, 8000, DCX, DCX-4s	v7.2.0a - v7.2.1d	HUS 100, HUS VM, VSP, VSP G1000	
	Yes	59-51 or higher	A0365 or higher 11-16 or higher 07-05 or higher	Hitachi HFCE0801, HFCE0802, HFCE0804	v4.6.17.2114	Brocade 6505, 6510, 6520, DCX8510	v7.2.0a - v7.2.1d	HUS 100, HUS VM, VSP, VSP G1000	
	Yes	59-51 or higher	A0365 or higher 11-16 or higher 07-05 or higher	Hitachi HFCE0801, HFCE0802, HFCE0804	v4.6.17.2114	Cisco 9148, 9222i, 9506 (4Gb), 9506 (8Gb), 9509 (4Gb), 9509 (8Gb), 9513, 9513 (8Gb)	v6.2(1) - v6.2(11)	HUS 100, HUS VM, VSP, VSP G1000	
RHEL 6.5 (X64)	No	N/A	N/A	Emulex LPe12000, LPe12002	v8.3.7.21.4p	Brocade 300, 5100, 5300, 7800, 8000, DCX, DCX-4s	v7.2.0a - v7.2.1d	HUS 100, HUS VM, VSP, VSP G1000	
	No	N/A	N/A	Emulex LPe12000, LPe12002	v8.3.7.21.4p	Brocade 6505, 6510, 6520, DCX8510	v7.2.0a - v7.2.1d	HUS 100, HUS VM, VSP, VSP G1000	
	No	N/A	N/A	Emulex LPe12000, LPe12002	v8.3.7.21.4p	Cisco 9148, 9222i, 9506 (4Gb), 9506 (8Gb), 9509 (4Gb), 9509 (8Gb), 9513, 9513 (8Gb)	v6.2(1) - v6.2(11)	HUS 100, HUS VM, VSP, VSP G1000	
	No	N/A	N/A	Emulex LPe1205-HI	v8.3.7.21.4p	Hitachi Blade Server Switch - 5460	v7.0.2c	HUS 100, HUS VM, VSP, VSP G1000	
	No	N/A	N/A	Emulex LPe16002B	v8.3.7.21.4p	Brocade 6505, 6510, 6520, DCX8510	v7.2.0a - v7.2.1d	HUS 100, HUS VM, VSP, VSP G1000	
	No	N/A	N/A	Emulex LPe16002B	v8.3.7.21.4p	Cisco MDS 9710	v6.2(1) - v6.2(11)	HUS 100, HUS VM, VSP, VSP G1000	
	No	N/A	N/A	QLogic QLE2564	v8.05.00.03.06.5-k2	Brocade 300, 5100, 5300, 7800, 8000, DCX, DCX-4s	v7.2.0a - v7.2.1d	HUS 100, HUS VM, VSP, VSP G1000	
	No	N/A	N/A	QLogic QLE2564	v8.05.00.03.06.5-k2	Brocade 6505, 6510, 6520, DCX8510	v7.2.0a - v7.2.1d	HUS 100, HUS VM, VSP, VSP G1000	
	No	N/A	N/A	QLogic QLE2564	v8.05.00.03.06.5-k2	Cisco MDS 9710	v6.2(1) - v6.2(11)	HUS 100, HUS VM, VSP, VSP G1000	
	No	N/A	N/A	QLogic QLE2672	v8.05.00.03.06.5-k2	Brocade 6505, 6510, 6520, DCX8510	v7.2.0a - v7.2.1d	HUS 100, HUS VM, VSP, VSP G1000	
	No	N/A	N/A	QLogic QLE2672	v8.05.00.03.06.5-k2	Cisco MDS 9710	v6.2(1) - v6.2(11)	HUS 100, HUS VM, VSP, VSP G1000	
RHEL 7.0 (X64)	No	N/A	N/A	Emulex LPe12000, LPe12002	v8.3.7.34.3p	Brocade 300, 5100, 5300, 7800, 8000, DCX, DCX-4s	v7.2.0a - v7.2.1d	HUS VM, VSP, VSP G1000	
	No	N/A	N/A	Emulex LPe12000, LPe12002	v8.3.7.34.3p	Brocade 6505, 6510, 6520, DCX8510	v7.2.0a - v7.2.1d	HUS VM, VSP, VSP G1000	
	No	N/A	N/A	Emulex LPe1205-HI	v8.3.7.34.3p	Hitachi Blade Server Switch - 5460	v7.2.1	HUS VM, VSP, VSP G1000	
SuSE Linux Enterprise Server (SLES)	SLES 11 SP3 (X64)	No	N/A	N/A	Emulex LPe12000, LPe12002	v8.3.7.10.6p	Brocade 300, 5100, 5300, 7800, 8000, DCX, DCX-4s	v7.2.0a - v7.2.1d	HUS 100, HUS VM, VSP, VSP G1000
		No	N/A	N/A	Emulex LPe12000, LPe12002	v8.3.7.10.6p	Brocade 6505, 6510, 6520, DCX8510	v7.2.0a - v7.2.1d	HUS 100, HUS VM, VSP, VSP G1000
		No	N/A	N/A	Emulex LPe12000, LPe12002	v8.3.7.10.6p	Cisco 9148, 9222i, 9506 (4Gb), 9506 (8Gb), 9509 (4Gb), 9509 (8Gb), 9513, 9513 (8Gb)	v6.2(1) - v6.2(11)	HUS 100, HUS VM, VSP, VSP G1000
		No	N/A	N/A	Emulex LPe1205-HI	v8.3.7.10.6p	Hitachi Blade Server Switch - 5460	v7.0.2c	HUS 100, HUS VM, VSP, VSP G1000
		No	N/A	N/A	Emulex LPe12000, LPe12002	v8.3.5.82.2p	Brocade 300, 5100, 5300, 7800, 8000, DCX, DCX-4s	v7.2.0a - v7.2.1d	HUS 100, HUS VM, VSP, VSP G1000
Oracle Linux	Oracle Linux 5.0 UP9 (X64)	No	N/A	N/A	Emulex LPe12000, LPe12002	v8.3.5.82.2p	Brocade 6505, 6510, 6520, DCX8510	v7.2.0a - v7.2.1d	HUS 100, HUS VM, VSP, VSP G1000
		No	N/A	N/A	Emulex LPe12000, LPe12002	v8.3.5.82.2p	Cisco 9148, 9222i, 9506 (4Gb), 9506 (8Gb), 9509 (4Gb), 9509 (8Gb), 9513, 9513 (8Gb)	v6.2(1) - v6.2(11)	HUS VM, VSP, VSP G1000
		No	N/A	N/A	Emulex LPe1205-HI	v8.3.5.82.2p	Hitachi Blade Server Switch - 5460	v7.2.1	HUS 100, HUS VM, VSP, VSP G1000
		No	N/A	N/A	Emulex LPe12000, LPe12002	v8.3.5.82.2p	Brocade 300, 5100, 5300, 7800, 8000, DCX, DCX-4s	v7.2.0a - v7.2.1d	HUS 100, HUS VM, VSP, VSP G1000

Oracle Linux 5.0 UP10 (X64)	No	N/A	N/A	Emulex LPe12000, LPe12002	v8.3.7.26.3p	Brocade 300, 5100, 5300, 7800, 8000, DCX, DCX-4s	v7.2.0a - v7.2.1d	HUS 100, HUS VM, VSP, VSP G1000	
	No	N/A	N/A	Emulex LPe12000, LPe12002	v8.3.7.26.3p	Brocade 6505, 6510, 6520, DCX8510	v7.2.0a - v7.2.1d	HUS 100, HUS VM, VSP, VSP G1000	
	No	N/A	N/A	Emulex LPe12000, LPe12002	v8.3.7.26.3p	Cisco 9148, 9222i, 9506 (4Gb), 9506 (8Gb), 9509 (4Gb), 9509 (8Gb), 9513, 9513 (8Gb)	v6.2(1) - v6.2(11)	HUS VM, VSP, VSP G1000	
	No	N/A	N/A	Emulex LPe1205-HI	v8.3.7.26.3p	Hitachi Blade Server Switch - 5460	v7.2.1	HUS 100, HUS VM, VSP, VSP G1000	
Oracle Linux 6.2 (X64)	No	N/A	N/A	Emulex LPe12000, LPe12002	v8.3.5.68.4p	Brocade 300, 5100, 5300, 7800, 8000, DCX, DCX-4s	v7.2.0a - v7.2.1d	HUS 100, HUS VM, VSP, VSP G1000	
	No	N/A	N/A	Emulex LPe12000, LPe12002	v8.3.5.68.4p	Brocade 6505, 6510, 6520, DCX8510	v7.2.0a - v7.2.1d	HUS 100, HUS VM, VSP, VSP G1000	
	No	N/A	N/A	Emulex LPe12000, LPe12002	v8.3.5.86.1p	Brocade 6505, 6510, 6520, DCX8510	v7.2.0a - v7.2.1d	HUS VM, VSP, VSP G1000	
	No	N/A	N/A	Emulex LPe12000, LPe12002	v8.3.5.68.4p	Cisco 9148, 9222i, 9506 (4Gb), 9506 (8Gb), 9509 (4Gb), 9509 (8Gb), 9513, 9513 (8Gb)	v6.2(1) - v6.2(11)	HUS 100, HUS VM, VSP, VSP G1000	
	No	N/A	N/A	Emulex LPe1205-HI	v8.3.5.68.4p	Hitachi Blade Server Switch - 5460	v7.0.2c	HUS 100, HUS VM, VSP, VSP G1000	
Oracle Linux 6.4 (X64)	No	N/A	N/A	Emulex LPe12000, LPe12002	v8.3.5.86.2p	Brocade 300, 5100, 5300, 7800, 8000, DCX, DCX-4s	v7.2.0a - v7.2.1d	HUS 100, HUS VM, VSP, VSP G1000	
	No	N/A	N/A	Emulex LPe12000, LPe12002	v8.3.5.86.2p	Brocade 6505, 6510, 6520, DCX8510	v7.2.0a - v7.2.1d	HUS 100, HUS VM, VSP, VSP G1000	
	No	N/A	N/A	Emulex LPe12000, LPe12002	v8.3.5.86.2p	Cisco 9148, 9222i, 9506 (4Gb), 9506 (8Gb), 9509 (4Gb), 9509 (8Gb), 9513, 9513 (8Gb)	v6.2(1) - v6.2(11)	HUS 100, HUS VM, VSP, VSP G1000	
	No	N/A	N/A	Emulex LPe1205-HI	v8.3.5.86.2p	Hitachi Blade Server Switch - 5460	v7.0.2c	HUS 100, HUS VM, VSP, VSP G1000	
Oracle Virtual Machine (OVM)	OVM 3.2.1 (X64)	No	N/A	N/A	Emulex LPe12000, LPe12002	v8.3.5.82.2p	Brocade 300, 5100, 5300, 7800, 8000, DCX, DCX-4s	v7.2.0a - v7.2.1d	HUS 100, HUS VM, VSP, VSP G1000
		No	N/A	N/A	Emulex LPe12000, LPe12002	v8.3.5.82.2p	Brocade 6505, 6510, 6520, DCX8510	v7.2.0a - v7.2.1d	HUS 100, HUS VM, VSP, VSP G1000
		No	N/A	N/A	Emulex LPe12000, LPe12002	v8.3.5.82.2p	Cisco 9148, 9222i, 9506 (4Gb), 9506 (8Gb), 9509 (4Gb), 9509 (8Gb), 9513, 9513 (8Gb)	v6.2(1) - v6.2(11)	HUS 100, HUS VM, VSP, VSP G1000
		No	N/A	N/A	Emulex LPe1205-HI	v8.3.5.82.2p	Hitachi Blade Server Switch - 5460	v7.0.2c	HUS 100, HUS VM, VSP, VSP G1000
Oracle Solaris	Solaris 11.1 (X64)	No	N/A	N/A	Emulex LPe12000, LPe12002	Bundled	Brocade 300, 5100, 5300, 7800, 8000, DCX, DCX-4s	v7.2.0a - v7.2.1d	HUS 100, HUS VM, VSP, VSP G1000
		No	N/A	N/A	Emulex LPe12000, LPe12002	Bundled	Brocade 6505, 6510, 6520, DCX8510	v7.2.0a - v7.2.1d	HUS 100, HUS VM, VSP, VSP G1000
		No	N/A	N/A	Emulex LPe12000, LPe12002	Bundled	Cisco 9148, 9222i, 9506 (4Gb), 9506 (8Gb), 9509 (4Gb), 9509 (8Gb), 9513, 9513 (8Gb)	v6.2(1) - v6.2(11)	HUS 100, HUS VM, VSP, VSP G1000
		No	N/A	N/A	Emulex LPe1205-HI	Bundled	Hitachi Blade Server Switch - 5460	v7.0.2c	HUS 100, HUS VM, VSP, VSP G1000
VMWare	VMWare 5.0 U2 (X64)	No	N/A	N/A	Hitachi HFCE0801, HFCE0802, HFCE0804	v4.28.16.1158	Brocade 300, 5100, 5300, 7800, 8000, DCX, DCX-4s	v7.2.0a - v7.2.1d	HUS 100, HUS VM, VSP, VSP G1000
		No	N/A	N/A	Hitachi HFCE0801, HFCE0802, HFCE0804	v4.28.16.1158	Brocade 6505, 6510, 6520, DCX8510	v7.2.0a - v7.2.1d	HUS 100, HUS VM, VSP, VSP G1000
		No	N/A	N/A	Hitachi HFCE0801, HFCE0802, HFCE0804	v4.28.16.1158	Cisco 9148, 9222i, 9506 (4Gb), 9506 (8Gb), 9509 (4Gb), 9509 (8Gb), 9513, 9513 (8Gb)	v6.2(1) - v6.2(11)	HUS 100, HUS VM, VSP, VSP G1000
	VMWare 5.0 U3 (X64)	No	N/A	N/A	Hitachi HFCE0801, HFCE0802, HFCE0804	v4.28.16.1148	Brocade 300, 5100, 5300, 7800, 8000, DCX, DCX-4s	v7.0.0 - v7.0.2e	HUS VM, VSP, VSP G1000
		No	N/A	N/A	Hitachi HFCE0801, HFCE0802, HFCE0804	v4.28.16.1148	Cisco 9148, 9222i, 9506 (4Gb), 9506 (8Gb), 9509 (4Gb), 9509 (8Gb), 9513, 9513 (8Gb)	v5.2(1) - v5.2(8c)	HUS VM, VSP, VSP G1000
		No	N/A	N/A	Hitachi HFCE0801, HFCE0802, HFCE0804	v4.28.16.1148			

VMWare 5.1 U1 (X64)	No	N/A	N/A	Emulex LPe12000, LPe12002	v8.2.3.1-127vmw	Brocade 300, 5100, 5300, 7800, 8000, DCX, DCX-4s	v7.2.0a - v7.2.1d	HUS 100, HUS VM, VSP, VSP G1000		
	No	N/A	N/A	Emulex LPe12000, LPe12002	v8.2.3.1-127vmw	Brocade 6505, 6510, 6520, DCX8510	v7.2.0a - v7.2.1d	HUS 100, HUS VM, VSP, VSP G1000		
	No	N/A	N/A	Emulex LPe12000, LPe12002	v8.2.3.1-127vmw	Cisco 9148, 9222i, 9506 (4Gb), 9506 (8Gb), 9509 (4Gb), 9509 (8Gb), 9513, 9513 (8Gb)	v6.2(1) - v6.2(11)	HUS 100, HUS VM, VSP, VSP G1000		
	No	N/A	N/A	Emulex LPe1205-HI	v8.2.3.1-127vmw	Hitachi Blade Server Switch - 5460	v7.0.2c	HUS 100, HUS VM, VSP, VSP G1000		
	No	N/A	N/A	Hitachi HFCE0801, HFCE0802, HFCE0804	v4.28.16.1158	Brocade 300, 5100, 5300, 7800, 8000, DCX, DCX-4s	v7.2.0a - v7.2.1d	HUS 100, HUS VM, VSP, VSP G1000		
	No	N/A	N/A	Hitachi HFCE0801, HFCE0802, HFCE0804	v4.28.16.1158	Brocade 6505, 6510, 6520, DCX8510	v7.2.0a - v7.2.1d	HUS 100, HUS VM, VSP, VSP G1000		
	No	N/A	N/A	Hitachi HFCE0801, HFCE0802, HFCE0804	v4.28.16.1158	Cisco 9148, 9222i, 9506 (4Gb), 9506 (8Gb), 9509 (4Gb), 9509 (8Gb), 9513, 9513 (8Gb)	v6.2(1) - v6.2(11)	HUS 100, HUS VM, VSP, VSP G1000		
	No	N/A	N/A	Hitachi HFCE0801, HFCE0802, HFCE0804	v4.28.16.1158	Hitachi Blade Server Switch - 5460	v7.0.2c	HUS 100, HUS VM, VSP, VSP G1000		
	VMWare 5.1 U2 (X64)									
	No	N/A	N/A	Hitachi HFCE0801, HFCE0802, HFCE0804	v4.28.16.1148	Brocade 300, 5100, 5300, 7800, 8000, DCX, DCX-4s	v7.0.0 - v7.0.2e	HUS VM, VSP, VSP G1000		
	No	N/A	N/A	Hitachi HFCE0801, HFCE0802, HFCE0804	v4.28.16.1148	Cisco 9148, 9222i, 9506 (4Gb), 9506 (8Gb), 9509 (4Gb), 9509 (8Gb), 9513, 9513 (8Gb)	v5.2(1) - v5.2(8c)	HUS VM, VSP, VSP G1000		
	Windows	Windows 2008 R2 SP1 (X64)								
		No	N/A	N/A	Emulex LPe12000, LPe12002	v2.74.014.001	Brocade 300, 5100, 5300, 7800, 8000, DCX, DCX-4s	v7.2.0a - v7.2.1d	HUS 100, HUS VM, VSP, VSP G1000	
		No	N/A	N/A	Emulex LPe12000, LPe12002	v2.74.014.001	Brocade 6505, 6510, 6520, DCX8510	v7.2.0a - v7.2.1d	HUS 100, HUS VM, VSP, VSP G1000	
		No	N/A	N/A	Emulex LPe12000, LPe12002	v2.74.014.001	Cisco 9148, 9222i, 9506 (4Gb), 9506 (8Gb), 9509 (4Gb), 9509 (8Gb), 9513, 9513 (8Gb)	v6.2(1) - v6.2(11)	HUS 100, HUS VM, VSP, VSP G1000	
No		N/A	N/A	Emulex LPe1205-HI	v2.74.014.001	Hitachi Blade Server Switch - 5460	v7.0.2c	HUS 100, HUS VM, VSP, VSP G1000		
Yes		59-51 or higher	A0365 or higher 11-16 or higher 07-05 or higher	Hitachi HFCE0801, HFCE0802, HFCE0804	v4.2.6.880	Brocade 300, 5100, 5300, 7800, 8000, DCX, DCX-4s	v7.2.0a - v7.2.1d	HUS 100, HUS VM, VSP, VSP G1000		
Yes		59-51 or higher	A0365 or higher 11-16 or higher 07-05 or higher	Hitachi HFCE0801, HFCE0802, HFCE0804	v4.2.6.880	Brocade 6505, 6510, 6520, DCX8510	v7.2.0a - v7.2.1d	HUS 100, HUS VM, VSP, VSP G1000		
Yes		59-51 or higher	A0365 or higher 11-16 or higher 07-05 or higher	Hitachi HFCE0801, HFCE0802, HFCE0804	v4.2.6.880	Cisco 9148, 9222i, 9506 (4Gb), 9506 (8Gb), 9509 (4Gb), 9509 (8Gb), 9513, 9513 (8Gb)	v6.2(1) - v6.2(11)	HUS 100, HUS VM, VSP, VSP G1000		
Yes		59-51 or higher	A0365 or higher 11-16 or higher 07-05 or higher	Hitachi HFCE0801, HFCE0802, HFCE0804	v4.2.6.800	Hitachi Blade Server Switch - 5460	v6.3.2c	HUS VM, VSP, VSP G1000		
Windows 2008 SP2 (IA32)										
No	N/A	N/A	Hitachi HFCE0801, HFCE0802, HFCE0804	v1.1.6.880	Brocade 300, 5100, 5300, 7800, 8000, DCX, DCX-4s	v7.0.0 - v7.0.2e	HUS 100, HUS VM, VSP, VSP G1000			
No	N/A	N/A	Hitachi HFCE0801, HFCE0802, HFCE0804	v1.1.6.880	Cisco 9148, 9222i, 9506 (4Gb), 9506 (8Gb), 9509 (4Gb), 9509 (8Gb), 9513, 9513 (8Gb)	v5.2(1) - v5.2(8c)	HUS 100, HUS VM, VSP, VSP G1000			

Windows 2008 SP2 (X64)	No	N/A	N/A	Emulex LPe12000, LPe12002	v2.74.014.001	Brocade 300, 5100, 5300, 7800, 8000, DCX, DCX-4s	v7.2.0a - v7.2.1d	HUS 100, HUS VM, VSP, VSP G1000
	No	N/A	N/A	Emulex LPe12000, LPe12002	v2.74.014.001	Brocade 6505, 6510, 6520, DCX8510	v7.2.0a - v7.2.1d	HUS 100, HUS VM, VSP, VSP G1000
	No	N/A	N/A	Emulex LPe12000, LPe12002	v2.74.014.001	Cisco 9148, 9222i, 9506 (4Gb), 9506 (8Gb), 9509 (4Gb), 9509 (8Gb), 9513, 9513 (8Gb)	v6.2(1) - v6.2(11)	HUS 100, HUS VM, VSP, VSP G1000
	No	N/A	N/A	Emulex LPe1205-HI	v2.74.014.001	Hitachi Blade Server Switch - 5460	v7.0.2c	HUS 100, HUS VM, VSP, VSP G1000
	No	N/A	N/A	Hitachi HFCE0801, HFCE0802, HFCE0804	v4.1.6.880	Brocade 300, 5100, 5300, 7800, 8000, DCX, DCX-4s	v7.0.0 - v7.0.2e	HUS VM, VSP, VSP G1000
	No	N/A	N/A	Hitachi HFCE0801, HFCE0802, HFCE0804	v4.1.6.880	Hitachi Blade Server Switch - 5460	v6.3.2c	HUS VM, VSP, VSP G1000
	No	N/A	N/A	Hitachi HFCE0801, HFCE0802, HFCE0804	v4.1.6.880	Brocade 300, 5100, 5300, 7800, 8000, DCX, DCX-4s	v7.0.0 - v7.0.2e	HUS 100, HUS VM, VSP, VSP G1000
	No	N/A	N/A	Hitachi HFCE0801, HFCE0802, HFCE0804	v4.1.6.880	Cisco 9148, 9222i, 9506 (4Gb), 9506 (8Gb), 9509 (4Gb), 9509 (8Gb), 9513, 9513 (8Gb)	v5.2(1) - v5.2(8c)	HUS 100, HUS VM, VSP, VSP G1000
Windows Server 2012	No	N/A	N/A	Emulex LPe12000, LPe12002	v2.74.014.001	Brocade 300, 5100, 5300, 7800, 8000, DCX, DCX-4s	v7.2.0a - v7.2.1d	HUS 100, HUS VM, VSP, VSP G1000
	No	N/A	N/A	Emulex LPe12000, LPe12002	v2.74.014.001	Brocade 6505, 6510, 6520, DCX8510	v7.2.0a - v7.2.1d	HUS 100, HUS VM, VSP, VSP G1000
	No	N/A	N/A	Emulex LPe12000, LPe12002	v2.74.014.001	Cisco 9148, 9222i, 9506 (4Gb), 9506 (8Gb), 9509 (4Gb), 9509 (8Gb), 9513, 9513 (8Gb)	v6.2(1) - v6.2(11)	HUS 100, HUS VM, VSP, VSP G1000
	No	N/A	N/A	Emulex LPe1205-HI	v2.74.014.001	Hitachi Blade Server Switch - 5460	v7.0.2c	HUS 100, HUS VM, VSP, VSP G1000
	Yes	59-51 or higher	A0365 or higher 11-16 or higher 07-05 or higher	Hitachi HFCE0801, HFCE0802, HFCE0804	v4.3.7.1110	Brocade 300, 5100, 5300, 7800, 8000, DCX, DCX-4s	v7.2.0a - v7.2.1d	HUS 100, HUS VM, VSP, VSP G1000
	Yes	59-51 or higher	A0365 or higher 11-16 or higher 07-05 or higher	Hitachi HFCE0801, HFCE0802, HFCE0804	v4.3.7.1110	Brocade 6505, 6510, 6520, DCX8510	v7.2.0a - v7.2.1d	HUS 100, HUS VM, VSP, VSP G1000
	Yes	59-51 or higher	A0365 or higher 11-16 or higher 07-05 or higher	Hitachi HFCE0801, HFCE0802, HFCE0804	v4.3.7.1110	Cisco 9148, 9222i, 9506 (4Gb), 9506 (8Gb), 9509 (4Gb), 9509 (8Gb), 9513, 9513 (8Gb)	v6.2(1) - v6.2(11)	HUS 100, HUS VM, VSP, VSP G1000
	Yes	59-51 or higher	A0365 or higher 11-16 or higher 07-05 or higher	Hitachi HFCE0801, HFCE0802, HFCE0804	v4.3.7.1110	Hitachi Blade Server Switch - 5460	v7.0.2c	HUS 100, HUS VM, VSP, VSP G1000

Windows Server 2012 R2	No	N/A	N/A	Emulex LPe12000, LPe12002	v2.76.002.001	Brocade 300, 5100, 5300, 7800, 8000, DCX, DCX-4s	v7.2.0a - v7.2.1d	HUS 100, HUS VM, VSP, VSP G1000	
	No	N/A	N/A	Emulex LPe12000, LPe12002	v2.76.002.001	Brocade 6505, 6510, 6520, DCX8510	v7.2.0a - v7.2.1d	HUS 100, HUS VM, VSP, VSP G1000	
	No	N/A	N/A	Emulex LPe12000, LPe12002	v2.76.002.001	Cisco 9148, 9222i, 9506 (4Gb), 9506 (8Gb), 9509 (4Gb), 9509 (8Gb), 9513, 9513 (8Gb)	v6.2(1) - v6.2(11)	HUS 100, HUS VM, VSP, VSP G1000	
	No	N/A	N/A	Emulex LPe1205-HI	v2.76.002.001	Hitachi Blade Server Switch - 5460	v7.0.2c	HUS 100, HUS VM, VSP, VSP G1000	
	Yes	59-52 or higher	A0365 or higher 11-16 or higher 07-05 or higher	Hitachi HFCE0801, HFCE0802, HFCE0804	v4.4.7.1110	Brocade 300, 5100, 5300, 7800, 8000, DCX, DCX-4s	v7.2.0a - v7.2.1d	HUS 100, HUS VM, VSP, VSP G1000	
	Yes	59-52 or higher	A0365 or higher 11-16 or higher 07-05 or higher	Hitachi HFCE0801, HFCE0802, HFCE0804	v4.4.7.1110	Brocade 6505, 6510, 6520, DCX8510	v7.2.0a - v7.2.1d	HUS 100, HUS VM, VSP, VSP G1000	
	Yes	59-52 or higher	A0365 or higher 11-16 or higher 07-05 or higher	Hitachi HFCE0801, HFCE0802, HFCE0804	v4.4.7.1110	Cisco 9148, 9222i, 9506 (4Gb), 9506 (8Gb), 9509 (4Gb), 9509 (8Gb), 9513, 9513 (8Gb)	v6.2(1) - v6.2(11)	HUS 100, HUS VM, VSP, VSP G1000	
	Yes	59-52 or higher	A0365 or higher	Hitachi HFCE0801, HFCE0802, HFCE0804	v4.4.7.1110	Hitachi Blade Server Switch - 5460	v7.0.2c	HUS 100, HUS VM, VSP, VSP G1000	
Citrix XENServer	XENServer 6.1 (X64)	No	N/A	N/A	Emulex LPe12000, LPe12002	Brocade 300, 5100, 5300, 7800, 8000, DCX, DCX-4s	v7.2.0a - v7.2.1d	HUS 100, HUS VM, VSP, VSP G1000	
		No	N/A	N/A	Emulex LPe12000, LPe12002	Brocade 6505, 6510, 6520, DCX8510	v7.2.0a - v7.2.1d	HUS 100, HUS VM, VSP, VSP G1000	
		No	N/A	N/A	Emulex LPe12000, LPe12002	v8.3.5.77.1p	Cisco 9148, 9222i, 9506 (4Gb), 9506 (8Gb), 9509 (4Gb), 9509 (8Gb), 9513, 9513 (8Gb)	v6.2(1) - v6.2(11)	HUS 100, HUS VM, VSP, VSP G1000
		No	N/A	N/A	Emulex LPe1205-HI	v8.3.5.77.1p	Hitachi Blade Server Switch - 5460	v7.0.2c	HUS 100, HUS VM, VSP, VSP G1000
	XENServer 6.2 (X64)	No	N/A	N/A	Emulex LPe12000, LPe12002	v8.3.5.77.1p	Brocade 300, 5100, 5300, 7800, 8000, DCX, DCX-4s	v7.2.0a - v7.2.1d	HUS 100, HUS VM, VSP, VSP G1000
		No	N/A	N/A	Emulex LPe12000, LPe12002	v8.3.5.77.1p	Brocade 6505, 6510, 6520, DCX8510	v7.2.0a - v7.2.1d	HUS 100, HUS VM, VSP, VSP G1000
		No	N/A	N/A	Emulex LPe12000, LPe12002	v8.3.5.77.1p	Cisco 9148, 9222i, 9506 (4Gb), 9506 (8Gb), 9509 (4Gb), 9509 (8Gb), 9513, 9513 (8Gb)	v6.2(1) - v6.2(11)	HUS 100, HUS VM, VSP, VSP G1000
		No	N/A	N/A	Emulex LPe1205-HI	v8.3.5.77.1p	Hitachi Blade Server Switch - 5460	v7.0.2c	HUS 100, HUS VM, VSP, VSP G1000

N+M support HCSM 7.5.1 or later							
Blade Model	OS	OS versions	Basic mode	HVM/LPAR mo	HBA/CNA model	HBA/CNA driver	
CB 2000 X55R4 (GVAX55R4) CB 2000 X55S4 (GVAX55S4)	RedHat Enterprise Linux (RHEL)	RHEL 5.9 (X64)	Yes	No	Emulex LPe12000, LPe12002	v8.2.0.128.3p	
			Yes	No	Emulex LPe1205-HI	v8.2.0.128.3p	
		RHEL 6.2 (X64)	Yes	No	Emulex LPe12000, LPe12002	v8.3.5.45.4p	
			Yes	No	Emulex LPe1205-HI	v8.3.5.45.4p	
		RHEL 6.3 (IA32)	Yes	No	Hitachi HFCE0801, HFCE0802, HFCE0804	v1.6.17.2114	
		RHEL 6.3 (X64)	Yes	No	Emulex LPe12000, LPe12002	v8.3.5.68.5p	
			Yes	No	Emulex LPe1205-HI	v8.3.5.68.5p	
			Yes	No	Hitachi HFCE0801, HFCE0802, HFCE0804	v4.6.17.2114	
		RHEL 6.4 (IA32)	Yes	Yes GVAX55S4 only	Hitachi HFCE0801, HFCE0802, HFCE0804	v1.6.17.2114	
		RHEL 6.4 (X64)	Yes	No	Emulex LPe12000, LPe12002	v8.3.5.86.1p	
			Yes	No	Emulex LPe1205-HI	v8.3.5.86.1p	
			Yes	Yes GVAX55S4 only	Hitachi HFCE0801, HFCE0802, HFCE0804	v4.6.17.2114	
		RHEL 6.5 (X64)	Yes	No	Emulex LPe12000, LPe12002	v8.3.7.21.4p	
			Yes	No	Emulex LPe1205-HI	v8.3.7.21.4p	
			Yes	No	Emulex LPe16002B	v8.3.7.21.4p	
			Yes	No	QLogic QLE2564	v8.05.00.03.06.5-k2	
			Yes	No	QLogic QLE2672	v8.05.00.03.06.5-k2	
		Suse Linux Enterprise Server (SLES)	SLES 11 SP3 (X64)	Yes	No	Emulex LPe12000, LPe12002	v8.3.7.10.6p
				Yes	No	Emulex LPe1205-HI	v8.3.7.10.6p
		Oracle Linux	Oracle Linux 6.2 (X64)	Yes	No	Emulex LPe12000, LPe12002	v8.3.5.68.4p
Yes	No			Emulex LPe1205-HI	v8.3.5.68.4p		
Oracle Linux 6.4 (X64)	Yes		No	Emulex LPe12000, LPe12002	v8.3.5.86.2p		
	Yes		No	Emulex LPe1205-HI	v8.3.5.86.2p		
Oracle Virtual Machine (OVM)	OVM 3.2.1 (X64)	Yes	No	Emulex LPe12000, LPe12002	v8.3.5.82.2p		
		Yes	No	Emulex LPe1205-HI	v8.3.5.82.2p		
Oracle Solaris	Solaris 11.1 (X64)	Yes	No	Emulex LPe12000, LPe12002	Bundled		
		Yes	No	Emulex LPe1205-HI	Bundled		

VMWare	VMWare 5.0 U2 (X64)	Yes	No	Hitachi HFCE0801, HFCE0802, HFCE0804	v4.28.16.1158	
	VMWare 5.0 U3 (X64)	Yes	No	Hitachi HFCE0801, HFCE0802, HFCE0804	v4.28.16.1148	
	VMWare 5.1 U1 (X64)	Yes	No	Emulex LPe12000, LPe12002	v8.2.3.1-127vmw	
		Yes	No	Emulex LPe1205-HI	v8.2.3.1-127vmw	
		Yes	No	Hitachi HFCE0801, HFCE0802, HFCE0804	v4.28.16.1158	
	VMWare 5.1 U2 (X64)	Yes	No	Hitachi HFCE0801, HFCE0802, HFCE0804	v4.28.16.1148	
Windows	Windows 2008 R2 SP1 (X64)	Yes	No	Emulex LPe12000, LPe12002	v2.74.014.001	
		Yes	No	Emulex LPe1205-HI	v2.74.014.001	
		Yes	Yes GVAX55S4 only	Hitachi HFCE0801, HFCE0802, HFCE0804	v4.2.6.880	
	Windows 2008 SP2 (IA32)	Yes	Yes GVAX55S4 only	Hitachi HFCE0801, HFCE0802, HFCE0804	v1.1.6.880	
	Windows 2008 SP2 (X64)	Yes	No	Emulex LPe12000, LPe12002	v2.74.014.001	
		Yes	No	Emulex LPe1205-HI	v2.74.014.001	
		Yes	Yes GVAX55S4 only	Hitachi HFCE0801, HFCE0802, HFCE0804	v4.1.6.880	
	Windows Server 2012	Yes	No	Emulex LPe12000, LPe12002	v2.74.014.001	
		Yes	No	Emulex LPe1205-HI	v2.74.014.001	
		Yes	Yes GVAX55S4 only	Hitachi HFCE0801, HFCE0802, HFCE0804	v4.3.7.1110	
	Windows Server 2012 R2	Yes	No	Emulex LPe12000, LPe12002	v2.76.002.001	
		Yes	No	Emulex LPe1205-HI	v2.76.002.001	
		Yes	Yes GVAX55S4 only	Hitachi HFCE0801, HFCE0802, HFCE0804	v4.4.7.1110	
	Citrix XENServer	XENServer 6.1 (X64)	Yes	No	Emulex LPe12000, LPe12002	v8.3.5.77.1p
			Yes	No	Emulex LPe1205-HI	v8.3.5.77.1p
XENServer 6.2 (X64)		Yes	No	Emulex LPe12000, LPe12002	v8.3.5.77.1p	
		Yes	No	Emulex LPe1205-HI	v8.3.5.77.1p	

3rd Party PCIe card support			
Blade Model	PCIe card in IOCD	PCIe card in IOD (IOEU)	InterOp File version
CB 2000 X55R4 (GVAX55R4)	Brocade 1860	Brocade 1860	CR01-03
	Emulex LPe12002	Emulex LPe12002	-
CB 2000 X55S4 (GVAX55S4)	Emulex LPe16002B	Emulex LPe16002B	CR01-04
	Fusion-io ioDrive2	Fusion-io ioDrive2	-
	LSI Nytro MegaRAID NMR 8120-4i	LSI Nytro MegaRAID NMR 8120-4i	CR01-06
	Mellanox MHQH29-XTC	Mellanox MHQH29-XTC	CR01-02
	NVIDIA NVS 300 x1	Not supported	CR01-04
	QLogic QLE2562	QLogic QLE2562	CR01-01
	QLogic QLE2564	QLogic QLE2564	CR01-03
QLogic QLE2672	QLogic QLE2672	CR01-06	

OS Server Certification			Link to the
Blade Model	OS	OS versions	vendor HCL
CB 2000 X55R4 (GVAX55R4)	RedHat Enterprise Linux (RHEL)	RHEL 6.4 - 6.5	RedHat Customer Portal
	Oracle Linux	5.8, 5.9, 5.10, 6.1, 6.2, 6.3, 6.4, 6.5	Oracle Linux HCL
CB 2000 X55S4 (GVAX55S4)	Oracle VM	3.2	Oracle VM HCL
	Windows	Windows 2008, 2008 R2 (X64), 2012, 2012 R2	Windows Server Catalog
	Vmware	ESXi 5.0 U2 - U3, 5.1 U1 - U2, 5.5, 5.5 U1 - U2	VMWare Compatibility Guide

HDS support for Hitachi CB 2000 X57A1/A2 Server Blades

CB 2000 Server										
Model	OS	OS version	HVM/LPAR support	HVM/LPAR Manager version	SVP, EFI, BMC versions	HBA/CNA model	HBA/CNA driver	FC/FCoE switch model	FC/FCoE switch f/w	HDS storage array
CB 2000 X57A1 (GVAX57A1) CB 2000 X57A2 (GVAX57A2)	RedHat Enterprise Linux (RHEL)	RHEL 6.1 (X64)	Yes	78-82 or higher	A0360 or higher 01-21 or higher for GVAX57A1 07-12 or higher for GVAX57A2 04-15 or higher for GVAX57A1 04-51 or higher for GVAX57A2	Hitachi HFCE0801, HFCE0802, HFCE0804	v4.6.17.2096	Brocade 300, 5100, 5300, 7800, 8000, DCX, DCX-4s	v7.0.0 - v7.0.2e	HUS 100, HUS VM, VSP, VSP G1000
			Yes	78-82 or higher	A0360 or higher 01-21 or higher for GVAX57A1 07-12 or higher for GVAX57A2 04-15 or higher for GVAX57A1 04-51 or higher for GVAX57A2	Hitachi HFCE0801, HFCE0802, HFCE0804	v4.6.17.2096	Cisco 9148, 9222i, 9506 (4Gb), 9506 (8Gb), 9509 (4Gb), 9509 (8Gb), 9513, 9513 (8Gb)	v5.2(1) - v5.2(8c)	HUS 100, HUS VM, VSP, VSP G1000
		RHEL 6.2 (IA32)	Yes	79-00 or higher	A0360 or higher 01-21 or higher for GVAX57A1 07-12 or higher for GVAX57A2 04-15 or higher for GVAX57A1 04-51 or higher for GVAX57A2	Hitachi HFCE0801, HFCE0802, HFCE0804	v1.6.17.2096	Brocade 300, 5100, 5300, 7800, 8000, DCX, DCX-4s	v7.0.0 - v7.0.2e	HUS 100, HUS VM, VSP, VSP G1000
			Yes	79-00 or higher	A0360 or higher 01-21 or higher for GVAX57A1 07-12 or higher for GVAX57A2 04-15 or higher for GVAX57A1 04-51 or higher for GVAX57A2	Hitachi HFCE0801, HFCE0802, HFCE0804	v1.6.17.2096	Cisco 9148, 9222i, 9506 (4Gb), 9506 (8Gb), 9509 (4Gb), 9509 (8Gb), 9513, 9513 (8Gb)	v5.2(1) - v5.2(8c)	HUS 100, HUS VM, VSP, VSP G1000
			Yes	79-00 or higher	A0360 or higher 01-21 or higher for GVAX57A1 07-12 or higher for GVAX57A2 04-15 or higher for GVAX57A1 04-51 or higher for GVAX57A2	Hitachi HFCE0801, HFCE0802, HFCE0804	v1.6.17.2096	Brocade 300, 5100, 5300, 7800, 8000, DCX, DCX-4s	v7.0.0 - v7.0.2e	HUS VM, VSP, VSP G1000
			Yes	79-00 or higher	A0360 or higher 01-21 or higher for GVAX57A1 07-12 or higher for GVAX57A2 04-15 or higher for GVAX57A1 04-51 or higher for GVAX57A2	Hitachi HFCE0801, HFCE0802, HFCE0804	v1.6.17.2096	Hitachi Blade Server Switch - 5460	v6.3.2c	HUS VM, VSP, VSP G1000
			Yes	79-00 or higher	A0360 or higher 01-21 or higher for GVAX57A1 07-12 or higher for GVAX57A2 04-15 or higher for GVAX57A1 04-51 or higher for GVAX57A2	Hitachi HFCE0801, HFCE0802, HFCE0804	v1.6.17.2096			

RHEL 6.2 (X64)	No	N/A	N/A	Emulex LPe12000, LPe12002	v8.3.5.45.4p	Brocade 300, 5100, 5300, 7800, 8000, DCX, DCX-4s	v7.0.0 - v7.0.2e	HUS VM, VSP, VSP G1000
	No	N/A	N/A	Emulex LPe1205-HI	v8.3.5.45.4p	Hitachi Blade Server Switch - 5460	v6.3.2c	HUS VM, VSP, VSP G1000
	Yes	79-00 or higher	A0360 or higher 01-21 or higher for GVAX57A1 07-12 or higher for GVAX57A2 04-15 or higher for GVAX57A1 06-03 or higher for GVAX57A2	Hitachi HFCE0801, HFCE0802, HFCE0804	Bundled	Brocade 300, 5100, 5300, 7800, 8000, DCX, DCX-4s	v7.0.0 - v7.0.2e	HUS VM, VSP, VSP G1000
	Yes	79-00 or higher	A0360 or higher 01-21 or higher for GVAX57A1 07-12 or higher for GVAX57A2 04-15 or higher for GVAX57A1 06-03 or higher for GVAX57A2	Hitachi HFCE0801, HFCE0802, HFCE0804	Bundled	Hitachi Blade Server Switch - 5460	v6.3.2c	HUS VM, VSP, VSP G1000
	Yes	79-00 or higher	A0360 or higher 01-21 or higher for GVAX57A1 07-12 or higher for GVAX57A2 04-15 or higher for GVAX57A1 04-51 or higher for GVAX57A2	Hitachi HFCE0801, HFCE0802, HFCE0804	v4.6.17.2096	Cisco 9148, 9222i, 9506 (4Gb), 9506 (8Gb), 9509 (4Gb), 9509 (8Gb), 9513, 9513 (8Gb)	v5.2(1) - v5.2(8c)	HUS 100, HUS VM, VSP, VSP G1000
	No	N/A	N/A	QLogic QLE2560, QLE2562	v8.03.07.05.06.2-k	Brocade 300, 5100, 5300, 7800, 8000, DCX, DCX-4s	v7.0.0 - v7.0.2e	HUS VM, VSP, VSP G1000
RHEL 6.3 (X64)	No	N/A	N/A	Emulex LPe11000, LPe11002	v8.3.5.68.5p	Brocade 300, 5100, 5300, 7800, 8000, DCX, DCX-4s	v7.1.0a - v7.1.2b	HUS 100, HUS VM, VSP, VSP G1000
	No	N/A	N/A	Emulex LPe11000, LPe11002	v8.3.5.68.5p	Cisco 9148, 9222i, 9506 (4Gb), 9506 (8Gb), 9509 (4Gb), 9509 (8Gb), 9513, 9513 (8Gb)	v5.2(1) - v5.2(8c)	HUS 100, HUS VM, VSP, VSP G1000
	No	N/A	N/A	Emulex LPe12000, LPe12002	v8.3.5.68.5p	Brocade 300, 5100, 5300, 7800, 8000, DCX, DCX-4s	v7.1.0a - v7.1.2b	HUS 100, HUS VM, VSP, VSP G1000
	No	N/A	N/A	Emulex LPe12000, LPe12002	v8.3.5.68.5p	Cisco 9148, 9222i, 9506 (4Gb), 9506 (8Gb), 9509 (4Gb), 9509 (8Gb), 9513, 9513 (8Gb)	v5.2(1) - v5.2(8c)	HUS 100, HUS VM, VSP, VSP G1000
	No	N/A	N/A	Emulex LPe1205-HI	v8.3.5.68.5p	Hitachi Blade Server Switch - 5460	v6.3.2c	HUS 100, HUS VM, VSP, VSP G1000

RHEL 6.4 (IA32)	Yes	79-41 or higher	A0360 or higher 01-21 or higher for GVAX57A1 07-12 or higher for GVAX57A2 04-15 or higher for GVAX57A1 04-51 or higher for GVAX57A2	Hitachi HFCE0801, HFCE0802, HFCE0804	v1.6.17.2114	Brocade 300, 5100, 5300, 7800, 8000, DCX, DCX-4s	v7.2.0a - v7.2.1d	HUS 100, HUS VM, VSP, VSP G1000
	Yes	79-41 or higher	A0360 or higher 01-21 or higher for GVAX57A1 07-12 or higher for GVAX57A2 04-15 or higher for GVAX57A1 04-51 or higher for GVAX57A2	Hitachi HFCE0801, HFCE0802, HFCE0804	v1.6.17.2114	Brocade 6505, 6510, 6520, DCX8510	v7.2.0a - v7.2.1d	HUS 100, HUS VM, VSP, VSP G1000
	Yes	79-41 or higher	A0360 or higher 01-21 or higher for GVAX57A1 07-12 or higher for GVAX57A2 04-15 or higher for GVAX57A1 04-51 or higher for GVAX57A2	Hitachi HFCE0801, HFCE0802, HFCE0804	v1.6.17.2114	Cisco 9148, 9222i, 9506 (4Gb), 9506 (8Gb), 9509 (4Gb), 9509 (8Gb), 9513, 9513 (8Gb)	v6.2(1) - v6.2(11)	HUS 100, HUS VM, VSP, VSP G1000

RHEL 6.4 (X64)	No	N/A	N/A	Brocade 1860	v3.2.1.0	Brocade 300, 5100, 5300, 7800, 8000, DCX, DCX-4s	v7.1.0a - v7.1.2b	HUS 100, HUS VM, VSP, VSP G1000	
	No	N/A	N/A	Brocade 1860	v3.2.1.0	Cisco 9148, 9222i, 9506 (4Gb), 9506 (8Gb), 9509 (4Gb), 9509 (8Gb), 9513, 9513 (8Gb)	v6.2(1) - v6.2(11)	HUS 100, HUS VM, VSP, VSP G1000	
	No	N/A	N/A	Emulex LPe11000, LPe11002	v8.3.5.86.1p	Brocade 300, 5100, 5300, 7800, 8000, DCX, DCX-4s	v7.1.0a - v7.1.2b	HUS 100, HUS VM, VSP, VSP G1000	
	No	N/A	N/A	Emulex LPe11000, LPe11002	v8.3.5.86.1p	Cisco 9148, 9222i, 9506 (4Gb), 9506 (8Gb), 9509 (4Gb), 9509 (8Gb), 9513, 9513 (8Gb)	v6.2(1) - v6.2(11)	HUS 100, HUS VM, VSP, VSP G1000	
	No	N/A	N/A	Emulex LPe12000, LPe12002	v8.3.5.86.1p	Brocade 300, 5100, 5300, 7800, 8000, DCX, DCX-4s	v7.1.0a - v7.1.2b	HUS 100, HUS VM, VSP, VSP G1000	
	No	N/A	N/A	Emulex LPe12000, LPe12002	v8.3.5.86.1p	Cisco 9148, 9222i, 9506 (4Gb), 9506 (8Gb), 9509 (4Gb), 9509 (8Gb), 9513, 9513 (8Gb)	v6.2(1) - v6.2(11)	HUS 100, HUS VM, VSP, VSP G1000	
	Yes	79-41 or higher	A0360 or higher 01-21 or higher for GVAX57A1 07-12 or higher for GVAX57A2 04-15 or higher for GVAX57A1 06-03 or higher for GVAX57A2	Hitachi HFCE0801, HFCE0802, HFCE0804	v4.6.17.2104	Brocade 300, 5100, 5300, 7800, 8000, DCX, DCX-4s	v7.1.0a - v7.1.2b	HUS 100, HUS VM, VSP, VSP G1000	
	Yes	79-41 or higher	A0360 or higher 01-21 or higher for GVAX57A1 07-12 or higher for GVAX57A2 04-15 or higher for GVAX57A1 06-03 or higher for GVAX57A2	Hitachi HFCE0801, HFCE0802, HFCE0804	v4.6.17.2104	Cisco 9148, 9222i, 9506 (4Gb), 9506 (8Gb), 9509 (4Gb), 9509 (8Gb), 9513, 9513 (8Gb)	v6.2(1) - v6.2(11)	HUS 100, HUS VM, VSP, VSP G1000	
	Yes	79-41 or higher	A0360 or higher 01-21 or higher for GVAX57A1 07-12 or higher for GVAX57A2 04-15 or higher for GVAX57A1 06-03 or higher for GVAX57A2	Hitachi HFCE0801, HFCE0802, HFCE0804	v4.6.17.2114	Brocade 6505, 6510, 6520, DCX8510	v7.2.0a - v7.2.1d	HUS 100, HUS VM, VSP, VSP G1000	
	RHEL 6.5 (X64)	No	N/A	N/A	Emulex LPe1205-HI	v8.3.7.21.4p	Hitachi Blade Server Switch - 5460	v7.0.2c	HUS VM, VSP, VSP G1000
SuSE Enterprise Linux (SLES)	SLES 11 SP2 (X64)	No	N/A	N/A	Emulex LPe11000, LPe11002	v8.3.5.48.2p	Brocade 300, 5100, 5300, 7800, 8000, DCX, DCX-4s	v7.1.0a - v7.1.2b	HUS 100, HUS VM, VSP, VSP G1000
		No	N/A	N/A	Emulex LPe11000, LPe11002	v8.3.5.48.2p	Cisco 9148, 9222i, 9506 (4Gb), 9506 (8Gb), 9509 (4Gb), 9509 (8Gb), 9513, 9513 (8Gb)	v6.2(1) - v6.2(11)	HUS 100, HUS VM, VSP, VSP G1000
		No	N/A	N/A	Emulex LPe12000, LPe12002	v8.3.5.48.2p	Brocade 300, 5100, 5300, 7800, 8000, DCX, DCX-4s	v7.1.0a - v7.1.2b	HUS 100, HUS VM, VSP, VSP G1000
		No	N/A	N/A	Emulex LPe12000, LPe12002	v8.3.5.48.2p	Cisco 9148, 9222i, 9506 (4Gb), 9506 (8Gb), 9509 (4Gb), 9509 (8Gb), 9513, 9513 (8Gb)	v5.2(1) - v5.2(8c)	HUS 100, HUS VM, VSP, VSP G1000
		No	N/A	N/A	Emulex LPe1205-HI	v8.3.5.48.2p	Hitachi Blade Server Switch - 5460	v6.3.2d	HUS 100, HUS VM, VSP, VSP G1000
	SLES 11 SP3 (X64)	No	N/A	N/A	Emulex LPe12000, LPe12002	v8.3.7.10.6p	Brocade 300, 5100, 5300, 7800, 8000, DCX, DCX-4s	v7.2.0a - v7.2.1d	HUS 100, HUS VM, VSP, VSP G1000
		No	N/A	N/A	Emulex LPe12000, LPe12002	v8.3.7.10.6p	Cisco 9148, 9222i, 9506 (4Gb), 9506 (8Gb), 9509 (4Gb), 9509 (8Gb), 9513, 9513 (8Gb)	v6.2(1) - v6.2(11)	HUS 100, HUS VM, VSP, VSP G1000

Oracle Linux	Oracle Linux 5.6 (X64)	No	N/A	N/A	Emulex LPe11000, LPe11002	v8.3.18	Brocade 300, 5100, 5300, 7800, 8000, DCX, DCX-4s	v7.0.0 - v7.0.2e	HUS 100, HUS VM, VSP, VSP G1000
		No	N/A	N/A	Emulex LPe11000, LPe11002	v8.3.18	Cisco 9148, 9222i, 9506 (4Gb), 9506 (8Gb), 9509 (4Gb), 9509 (8Gb), 9513, 9513 (8Gb)	v5.2(1) - v5.2(8c)	HUS 100, HUS VM, VSP, VSP G1000
		No	N/A	N/A	Emulex LPe12000, LPe12002	v8.3.18	Brocade 300, 5100, 5300, 7800, 8000, DCX, DCX-4s	v7.0.0 - v7.0.2e	HUS 100, HUS VM, VSP, VSP G1000
		No	N/A	N/A	Emulex LPe12000, LPe12002	v8.3.18	Cisco 9148, 9222i, 9506 (4Gb), 9506 (8Gb), 9509 (4Gb), 9509 (8Gb), 9513, 9513 (8Gb)	v5.2(1) - v5.2(8c)	HUS 100, HUS VM, VSP, VSP G1000
		No	N/A	N/A	Emulex LPe1205-HI	v8.3.18	Hitachi Blade Server Switch - 5460	v6.3.2d	HUS 100, HUS VM, VSP, VSP G1000
	Oracle Linux 5.8 (X64)	No	N/A	N/A	Emulex LPe11000, LPe11002	v8.3.5.68.4p	Brocade 300, 5100, 5300, 7800, 8000, DCX, DCX-4s	v7.1.0a - v7.1.2b	HUS 100, HUS VM, VSP, VSP G1000
		No	N/A	N/A	Emulex LPe11000, LPe11002	v8.3.5.68.4p	Cisco 9148, 9222i, 9506 (4Gb), 9506 (8Gb), 9509 (4Gb), 9509 (8Gb), 9513, 9513 (8Gb)	v5.2(1) - v5.2(8c)	HUS 100, HUS VM, VSP, VSP G1000
		No	N/A	N/A	Emulex LPe12000, LPe12002	v8.3.5.68.4p	Brocade 300, 5100, 5300, 7800, 8000, DCX, DCX-4s	v7.1.0a - v7.1.2b	HUS 100, HUS VM, VSP, VSP G1000
		No	N/A	N/A	Emulex LPe12000, LPe12002	v8.3.5.68.4p	Cisco 9148, 9222i, 9506 (4Gb), 9506 (8Gb), 9509 (4Gb), 9509 (8Gb), 9513, 9513 (8Gb)	v6.2(1) - v6.2(11)	HUS 100, HUS VM, VSP, VSP G1000
		No	N/A	N/A	Emulex LPe1205-HI	v8.3.5.68.4p	Hitachi Blade Server Switch - 5460	v6.3.2d	HUS 100, HUS VM, VSP, VSP G1000
	Oracle Linux 6.1 (X64)	No	N/A	N/A	Emulex LPe12000, LPe12002	v8.3.18	Brocade 300, 5100, 5300, 7800, 8000, DCX, DCX-4s	v7.0.0 - v7.0.2e	HUS 100, HUS VM, VSP, VSP G1000
		No	N/A	N/A	Emulex LPe12000, LPe12002	v8.3.18	Cisco 9148, 9222i, 9506 (4Gb), 9506 (8Gb), 9509 (4Gb), 9509 (8Gb), 9513, 9513 (8Gb)	v5.2(1) - v5.2(8c)	HUS 100, HUS VM, VSP, VSP G1000
	Oracle Linux 6.2 (X64)	No	N/A	N/A	Emulex LPe11000, LPe11002	v8.3.5.68.4p	Brocade 300, 5100, 5300, 7800, 8000, DCX, DCX-4s	v7.0.0 - v7.0.2e	HUS 100, HUS VM, VSP, VSP G1000
		No	N/A	N/A	Emulex LPe11000, LPe11002	v8.3.5.68.4p	Cisco 9148, 9222i, 9506 (4Gb), 9506 (8Gb), 9509 (4Gb), 9509 (8Gb), 9513, 9513 (8Gb)	v5.2(1) - v5.2(8c)	HUS 100, HUS VM, VSP, VSP G1000
		No	N/A	N/A	Emulex LPe12000, LPe12002	v8.3.5.68.4p	Brocade 300, 5100, 5300, 7800, 8000, DCX, DCX-4s	v7.0.0 - v7.0.2e	HUS 100, HUS VM, VSP, VSP G1000
		No	N/A	N/A	Emulex LPe12000, LPe12002	v8.3.5.68.4p	Cisco 9148, 9222i, 9506 (4Gb), 9506 (8Gb), 9509 (4Gb), 9509 (8Gb), 9513, 9513 (8Gb)	v5.2(1) - v5.2(8c)	HUS 100, HUS VM, VSP, VSP G1000
		No	N/A	N/A	Emulex LPe1205-HI	v8.3.18	Hitachi Blade Server Switch - 5460	v6.3.2d	HUS 100, HUS VM, VSP, VSP G1000
		No	N/A	N/A	Emulex LPe1205-HI	v8.3.5.68.4p	Hitachi Blade Server Switch - 5460	v6.3.2d	HUS 100, HUS VM, VSP, VSP G1000
	Oracle Linux 6.3 (X64)	No	N/A	N/A	Emulex LPe12000, LPe12002	v8.3.5.68.6p	Brocade 300, 5100, 5300, 7800, 8000, DCX, DCX-4s	v7.1.0a - v7.1.2b	HUS 100, HUS VM, VSP, VSP G1000
		No	N/A	N/A	Emulex LPe1205-HI	v8.3.5.68.6p	Hitachi Blade Server Switch - 5460	v6.3.2d	HUS 100, HUS VM, VSP, VSP G1000
No		N/A	N/A	Emulex LPe12000, LPe12002	v8.3.5.68.6p	Cisco 9148, 9222i, 9506 (4Gb), 9506 (8Gb), 9509 (4Gb), 9509 (8Gb), 9513, 9513 (8Gb)	v6.2(1) - v6.2(11)	HUS 100, HUS VM, VSP, VSP G1000	
No		N/A	N/A	Emulex LPe1205-HI	v8.3.5.68.6p	Hitachi Blade Server Switch - 5460	v6.3.2d	HUS 100, HUS VM, VSP, VSP G1000	
No		N/A	N/A	Emulex LPe1205-HI	v8.3.5.68.6p	Hitachi Blade Server Switch - 5460	v7.2.1	HUS 100	

Oracle Virtual Machine (OVM)	OVM 3.1.1 (X64)	No	N/A	N/A	Emulex LPe11000, LPe11002	v8.3.5.58.2p	Brocade 300, 5100, 5300, 7800, 8000, DCX, DCX-4s	v7.0.0 - v7.0.2e	HUS 100, HUS VM, VSP, VSP G1000
		No	N/A	N/A	Emulex LPe11000, LPe11002	v8.3.5.58.2p	Cisco 9148, 9222i, 9506 (4Gb), 9506 (8Gb), 9509 (4Gb), 9509 (8Gb), 9513, 9513 (8Gb)	v5.2(1) - v5.2(8c)	HUS 100, HUS VM, VSP, VSP G1000
		No	N/A	N/A	Emulex LPe12000, LPe12002	v8.3.5.58.2p	Brocade 300, 5100, 5300, 7800, 8000, DCX, DCX-4s	v7.0.0 - v7.0.2e	HUS 100, HUS VM, VSP, VSP G1000
		No	N/A	N/A	Emulex LPe12000, LPe12002	v8.3.5.58.2p	Cisco 9148, 9222i, 9506 (4Gb), 9506 (8Gb), 9509 (4Gb), 9509 (8Gb), 9513, 9513 (8Gb)	v5.2(1) - v5.2(8c)	HUS 100, HUS VM, VSP, VSP G1000
		No	N/A	N/A	Emulex LPe1205-HI	v8.3.5.58.2p	Hitachi Blade Server Switch - 5460	v6.3.2d	HUS 100, HUS VM, VSP, VSP G1000
	OVM 3.2.1 (X64)	No	N/A	N/A	Emulex LPe11000, LPe11002	v8.3.5.82.2p	Brocade 300, 5100, 5300, 7800, 8000, DCX, DCX-4s	v7.1.0a - v7.1.2b	HUS 100, HUS VM, VSP, VSP G1000
		No	N/A	N/A	Emulex LPe11000, LPe11002	v8.3.5.82.2p	Cisco 9148, 9222i, 9506 (4Gb), 9506 (8Gb), 9509 (4Gb), 9509 (8Gb), 9513, 9513 (8Gb)	v5.2(1) - v5.2(8c)	HUS 100, HUS VM, VSP, VSP G1000
		No	N/A	N/A	Emulex LPe12000, LPe12002	v8.3.5.82.2p	Brocade 300, 5100, 5300, 7800, 8000, DCX, DCX-4s	v7.1.0a - v7.1.2b	HUS 100, HUS VM, VSP, VSP G1000
		No	N/A	N/A	Emulex LPe12000, LPe12002	v8.3.5.82.2p	Cisco 9148, 9222i, 9506 (4Gb), 9506 (8Gb), 9509 (4Gb), 9509 (8Gb), 9513, 9513 (8Gb)	v5.2(1) - v5.2(8c)	HUS 100, HUS VM, VSP, VSP G1000
		No	N/A	N/A	Emulex LPe1205-HI	v8.3.5.82.2p	Hitachi Blade Server Switch - 5460	v6.3.2d	HUS 100, HUS VM, VSP, VSP G1000
Oracle Solaris	Solaris 11 (X64)	No	N/A	N/A	Emulex LPe11000, LPe11002	Bundled	Brocade 300, 5100, 5300, 7800, 8000, DCX, DCX-4s	v7.0.0 - v7.0.2e	HUS 100, HUS VM, VSP, VSP G1000
		No	N/A	N/A	Emulex LPe11000, LPe11002	Bundled	Cisco 9148, 9222i, 9506 (4Gb), 9506 (8Gb), 9509 (4Gb), 9509 (8Gb), 9513, 9513 (8Gb)	v5.2(1) - v5.2(8c)	HUS 100, HUS VM, VSP, VSP G1000
		No	N/A	N/A	Emulex LPe12000, LPe12002	Bundled	Brocade 300, 5100, 5300, 7800, 8000, DCX, DCX-4s	v7.0.0 - v7.0.2e	HUS 100, HUS VM, VSP, VSP G1000
		No	N/A	N/A	Emulex LPe12000, LPe12002	Bundled	Cisco 9148, 9222i, 9506 (4Gb), 9506 (8Gb), 9509 (4Gb), 9509 (8Gb), 9513, 9513 (8Gb)	v5.2(1) - v5.2(8c)	HUS 100, HUS VM, VSP, VSP G1000
	Solaris 11.1 (X64)	No	N/A	N/A	Emulex LPe12000, LPe12002	Bundled	Brocade 300, 5100, 5300, 7800, 8000, DCX, DCX-4s	v7.1.0a - v7.1.2b	HUS 100, HUS VM, VSP, VSP G1000
		No	N/A	N/A	Emulex LPe12000, LPe12002	Bundled	Cisco 9148, 9222i, 9506 (4Gb), 9506 (8Gb), 9509 (4Gb), 9509 (8Gb), 9513, 9513 (8Gb)	v6.2(1) - v6.2(11)	HUS 100, HUS VM, VSP, VSP G1000
		No	N/A	N/A	Emulex LPe1205-HI	Bundled	Hitachi Blade Server Switch - 5460	v6.3.2d	HUS VM, VSP, VSP G1000
		No	N/A	N/A	Emulex LPe11000, LPe11002	Bundled	Brocade 300, 5100, 5300, 7800, 8000, DCX, DCX-4s	v6.4.0 - v6.4.3f	HUS VM, VSP, VSP G1000
VMWare	VMWare 5.0 U1 (X64)	No	N/A	N/A	Emulex LPe11000, LPe11002	Bundled	Brocade 300, 5100, 5300, 7800, 8000, DCX, DCX-4s	v6.4.0 - v6.4.3f	HUS VM, VSP, VSP G1000
		No	N/A	N/A	Emulex LPe1205-HI	Bundled	Hitachi Blade Server Switch - 5460	v6.3.1a	HUS VM, VSP, VSP G1000
		No	N/A	N/A	Hitachi HFCE0801, HFCE0802, HFCE0804	v4.28.16.1148	Brocade 300, 5100, 5300, 7800, 8000, DCX, DCX-4s	v7.0.0 - v7.0.2e	HUS VM, VSP, VSP G1000
		No	N/A	N/A	Emulex LPe11000, LPe11002	Bundled	Brocade 300, 5100, 5300, 7800, 8000, DCX, DCX-4s	v6.4.0 - v6.4.3f	HUS VM, VSP, VSP G1000
	VMWare 5.0 U2 (X64)	No	N/A	N/A	Emulex LPe1205-HI	Bundled	Hitachi Blade Server Switch - 5460	v6.3.1a	HUS VM, VSP, VSP G1000
		No	N/A	N/A	Hitachi HFCE0801, HFCE0802, HFCE0804	v4.28.16.1158	Brocade 300, 5100, 5300, 7800, 8000, DCX, DCX-4s	v7.2.0a - v7.2.1d	HUS 100, HUS VM, VSP, VSP G1000
		No	N/A	N/A	Hitachi HFCE0801, HFCE0802, HFCE0804	v4.28.16.1158	Brocade 6505, 6510, 6520, DCX8510	v7.2.0a - v7.2.1d	HUS 100, HUS VM, VSP, VSP G1000
		No	N/A	N/A	Hitachi HFCE0801, HFCE0802, HFCE0804	v4.28.16.1158	Cisco 9148, 9222i, 9506 (4Gb), 9506 (8Gb), 9509 (4Gb), 9509 (8Gb), 9513, 9513 (8Gb)	v6.2(1) - v6.2(11)	HUS 100, HUS VM, VSP, VSP G1000
		No	N/A	N/A	Emulex LPe11000, LPe11002	Bundled	Brocade 300, 5100, 5300, 7800, 8000, DCX, DCX-4s	v6.4.0 - v6.4.3f	HUS VM, VSP, VSP G1000
	VMWare 5.0 U3 (X64)	No	N/A	N/A	Emulex LPe1205-HI	Bundled	Hitachi Blade Server Switch - 5460	v6.3.1a	HUS VM, VSP, VSP G1000
		No	N/A	N/A	Hitachi HFCE0801, HFCE0802, HFCE0804	v4.28.16.1148	Brocade 300, 5100, 5300, 7800, 8000, DCX, DCX-4s	v7.0.0 - v7.0.2e	HUS VM, VSP, VSP G1000
		No	N/A	N/A	Hitachi HFCE0801, HFCE0802, HFCE0804	v4.28.16.1148	Cisco 9148, 9222i, 9506 (4Gb), 9506 (8Gb), 9509 (4Gb), 9509 (8Gb), 9513, 9513 (8Gb)	v5.2(1) - v5.2(8c)	HUS VM, VSP, VSP G1000
		No	N/A	N/A	Emulex LPe11000, LPe11002	Bundled	Brocade 300, 5100, 5300, 7800, 8000, DCX, DCX-4s	v6.4.0 - v6.4.3f	HUS VM, VSP, VSP G1000
		No	N/A	N/A	Emulex LPe1205-HI	Bundled	Hitachi Blade Server Switch - 5460	v6.3.1a	HUS VM, VSP, VSP G1000

VMWare 5.1 (X64)	No	N/A	N/A	Emulex LPe11000, LPe11002	Bundled	Brocade 300, 5100, 5300, 7800, 8000, DCX, DCX-4s	v6.4.0 - v6.4.3f	HUS VM, VSP, VSP G1000
	No	N/A	N/A	Emulex LPe1205-HI	Bundled	Hitachi Blade Server Switch - 5460	v6.3.1a	HUS VM, VSP, VSP G1000
	No	N/A	N/A	Hitachi HFCE0801, HFCE0802, HFCE0804	v4.28.16.1148	Brocade 300, 5100, 5300, 7800, 8000, DCX, DCX-4s	v7.0.0 - v7.0.2e	HUS VM, VSP, VSP G1000
	No	N/A	N/A	Hitachi HFCE0801, HFCE0802, HFCE0804	v4.28.16.1148	Cisco 9148, 9222i, 9506 (4Gb), 9506 (8Gb), 9509 (4Gb), 9509 (8Gb), 9513, 9513 (8Gb)	v5.2(1) - v5.2(8c)	HUS VM, VSP, VSP G1000
VMWare 5.1 U1 (X64)	No	N/A	N/A	Emulex LPe11000, LPe11002	Bundled	Brocade 300, 5100, 5300, 7800, 8000, DCX, DCX-4s	v6.4.0 - v6.4.3f	HUS VM, VSP, VSP G1000
	No	N/A	N/A	Emulex LPe1205-HI	Bundled	Hitachi Blade Server Switch - 5460	v6.3.1a	HUS VM, VSP, VSP G1000
	No	N/A	N/A	Hitachi HFCE0801, HFCE0802, HFCE0804	v4.28.16.1158	Brocade 300, 5100, 5300, 7800, 8000, DCX, DCX-4s	v7.2.0a - v7.2.1d	HUS 100, HUS VM, VSP, VSP G1000
	No	N/A	N/A	Hitachi HFCE0801, HFCE0802, HFCE0804	v4.28.16.1158	Brocade 6505, 6510, 6520, DCX8510	v7.2.0a - v7.2.1d	HUS 100, HUS VM, VSP, VSP G1000
	No	N/A	N/A	Hitachi HFCE0801, HFCE0802, HFCE0804	v4.28.16.1158	Cisco 9148, 9222i, 9506 (4Gb), 9506 (8Gb), 9509 (4Gb), 9509 (8Gb), 9513, 9513 (8Gb)	v6.2(1) - v6.2(11)	HUS 100, HUS VM, VSP, VSP G1000
	No	N/A	N/A	Hitachi HFCE0801, HFCE0802, HFCE0804	v4.28.16.1158	Hitachi Blade Server Switch - 5460	v7.0.2c	HUS 100, HUS VM, VSP, VSP G1000
VMWare 5.1 U2 (X64)	No	N/A	N/A	Emulex LPe11000, LPe11002	Bundled	Brocade 300, 5100, 5300, 7800, 8000, DCX, DCX-4s	v6.4.0 - v6.4.3f	HUS VM, VSP, VSP G1000
	No	N/A	N/A	Emulex LPe1205-HI	Bundled	Hitachi Blade Server Switch - 5460	v6.3.1a	HUS VM, VSP, VSP G1000
	No	N/A	N/A	Hitachi HFCE0801, HFCE0802, HFCE0804	v4.28.16.1148	Brocade 300, 5100, 5300, 7800, 8000, DCX, DCX-4s	v7.0.0 - v7.0.2e	HUS VM, VSP, VSP G1000
	No	N/A	N/A	Hitachi HFCE0801, HFCE0802, HFCE0804	v4.28.16.1148	Cisco 9148, 9222i, 9506 (4Gb), 9506 (8Gb), 9509 (4Gb), 9509 (8Gb), 9513, 9513 (8Gb)	v5.2(1) - v5.2(8c)	HUS VM, VSP, VSP G1000

Windows 2008	Windows 2008 R2 (X64)	No	N/A	N/A	Emulex LPe16000, LPe16002	v2.72.012.001	Brocade 300, 5100, 5300, 7800, 8000, DCX, DCX-4s	v7.0.0 - v7.0.2e	HUS 100
	Windows 2008 R2 SP1 (X64)	No	N/A	N/A	Brocade 1860	v3.2.0.0	Hitachi Blade Server Switch - 5460	v6.3.2d	HUS VM, VSP, VSP G1000
		No	N/A	N/A	Emulex LPe1205-HI	v2.20.006	Hitachi Blade Server Switch - 5460	v6.3.2c	HUS VM, VSP, VSP G1000
		Yes	78-73 or higher	A0360 or higher 01-21 or higher for GVAX57A1 07-12 or higher for GVAX57A2 04-15 or higher for GVAX57A1 06-03 or higher for GVAX57A2	Hitachi HFCE0801, HFCE0802, HFCE0804	v4.2.6.880	Brocade 300, 5100, 5300, 7800, 8000, DCX, DCX-4s	v7.2.0a - v7.2.1d	HUS 100, HUS VM, VSP, VSP G1000
		Yes	78-73 or higher	A0360 or higher 01-21 or higher for GVAX57A1 07-12 or higher for GVAX57A2 04-15 or higher for GVAX57A1 06-03 or higher for GVAX57A2	Hitachi HFCE0801, HFCE0802, HFCE0804	v4.2.6.880	Brocade 6505, 6510, 6520, DCX8510	v7.2.0a - v7.2.1d	HUS 100, HUS VM, VSP, VSP G1000
		Yes	78-73 or higher	A0360 or higher 01-21 or higher for GVAX57A1 07-12 or higher for GVAX57A2 04-15 or higher for GVAX57A1 06-03 or higher for GVAX57A2	Hitachi HFCE0801, HFCE0802, HFCE0804	v4.2.6.880	Cisco 9148, 9222i, 9506 (4Gb), 9506 (8Gb), 9509 (4Gb), 9509 (8Gb), 9513, 9513 (8Gb)	v6.2(1) - v6.2(11)	HUS 100, HUS VM, VSP, VSP G1000
		Yes	78-73 or higher	A0360 or higher 01-21 or higher for GVAX57A1 07-12 or higher for GVAX57A2 04-15 or higher for GVAX57A1 06-03 or higher for GVAX57A2	Hitachi HFCE0801, HFCE0802, HFCE0804	Bundled	Hitachi Blade Server Switch - 5460	v6.3.2c	HUS VM, VSP, VSP G1000
	Windows 2008 SP2 (IA32)	Yes	78-73 or higher	A0360 or higher 01-21 or higher for GVAX57A1 07-12 or higher for GVAX57A2 04-15 or higher for GVAX57A1 06-03 or higher for GVAX57A2	Hitachi HFCE0801, HFCE0802, HFCE0804	v1.1.6.880	Brocade 300, 5100, 5300, 7800, 8000, DCX, DCX-4s	v7.0.0 - v7.0.2e	HUS 100, HUS VM, VSP, VSP G1000
		Yes	78-73 or higher	A0360 or higher 01-21 or higher for GVAX57A1 07-12 or higher for GVAX57A2 04-15 or higher for GVAX57A1 06-03 or higher for GVAX57A2	Hitachi HFCE0801, HFCE0802, HFCE0804	v1.1.6.880	Cisco 9148, 9222i, 9506 (4Gb), 9506 (8Gb), 9509 (4Gb), 9509 (8Gb), 9513, 9513 (8Gb)	v5.2(1) - v5.2(8c)	HUS 100, HUS VM, VSP, VSP G1000

Windows 2008 SP2 (X64)	No	N/A	N/A	Emulex LPe1205-HI	v2.20.006	Hitachi Blade Server Switch - 5460	v6.3.2c	HUS VM, VSP, VSP G1000
	Yes	78-73 or higher	A0360 or higher 01-21 or higher for GVAX57A1 07-12 or higher for GVAX57A2 04-15 or higher for GVAX57A1 06-03 or higher for GVAX57A2	Hitachi HFCE0801, HFCE0802, HFCE0804	v4.1.6.800	Hitachi Blade Server Switch - 5460	v6.2.0 ht1	HUS VM, VSP, VSP G1000
	Yes	78-73 or higher	A0360 or higher 01-21 or higher for GVAX57A1 07-12 or higher for GVAX57A2 04-15 or higher for GVAX57A1 06-03 or higher for GVAX57A2	Hitachi HFCE0801, HFCE0802, HFCE0804	v4.1.6.800	Hitachi Blade Server Switch - 5460	v6.3.2c	HUS VM, VSP, VSP G1000
	Yes	78-73 or higher	A0360 or higher 01-21 or higher for GVAX57A1 07-12 or higher for GVAX57A2 04-15 or higher for GVAX57A1 06-03 or higher for GVAX57A2	Hitachi HFCE0801, HFCE0802, HFCE0804	v4.1.6.800	Brocade 300, 5100, 5300, 7800, 8000, DCX, DCX-4s	v7.0.0 - v7.0.2e	HUS VM, VSP, VSP G1000
	Yes	78-73 or higher	A0360 or higher 01-21 or higher for GVAX57A1 07-12 or higher for GVAX57A2 04-15 or higher for GVAX57A1 06-03 or higher for GVAX57A2	Hitachi HFCE0801, HFCE0802, HFCE0804	v4.1.6.880	Cisco 9148, 9222i, 9506 (4Gb), 9506 (8Gb), 9509 (4Gb), 9509 (8Gb), 9513, 9513 (8Gb)	v5.2(1) - v5.2(8c)	HUS 100, HUS VM, VSP, VSP G1000

Windows Server 2012	No	N/A	N/A	Emulex LPe16000, LPe16002	v2.72.012.001	Brocade 300, 5100, 5300, 7800, 8000, DCX, DCX-4s	v7.0.0 - v7.0.2e	HUS 100
	Yes	79-30 or higher	A0360 or higher 01-21 or higher for GVAX57A1 07-12 or higher for GVAX57A2 04-15 or higher for GVAX57A1 04-51 or higher for GVAX57A2	Hitachi HFCE0801, HFCE0802, HFCE0804	v4.3.7.1110	Brocade 300, 5100, 5300, 7800, 8000, DCX, DCX-4s	v7.2.0a - v7.2.1d	HUS 100, HUS VM, VSP, VSP G1000
	Yes	79-30 or higher	A0360 or higher 01-21 or higher for GVAX57A1 07-12 or higher for GVAX57A2 04-15 or higher for GVAX57A1 04-51 or higher for GVAX57A2	Hitachi HFCE0801, HFCE0802, HFCE0804	v4.3.7.1110	Brocade 6505, 6510, 6520, DCX8510	v7.2.0a - v7.2.1d	HUS 100, HUS VM, VSP, VSP G1000
	Yes	79-30 or higher	A0360 or higher 01-21 or higher for GVAX57A1 07-12 or higher for GVAX57A2 04-15 or higher for GVAX57A1 04-51 or higher for GVAX57A2	Hitachi HFCE0801, HFCE0802, HFCE0804	v4.3.7.1110	Cisco 9148, 9222i, 9506 (4Gb), 9506 (8Gb), 9509 (4Gb), 9509 (8Gb), 9513, 9513 (8Gb)	v6.2(1) - v6.2(11)	HUS 100, HUS VM, VSP, VSP G1000
	Yes	79-30 or higher	A0360 or higher 01-21 or higher for GVAX57A1 07-12 or higher for GVAX57A2 04-15 or higher for GVAX57A1 04-51 or higher for GVAX57A2	Hitachi HFCE0801, HFCE0802, HFCE0804	v4.3.7.1110	Hitachi Blade Server Switch - 5460	v7.0.2c	HUS 100, HUS VM, VSP, VSP G1000
	Windows Server 2012 R2	Yes (X57MPA2 only)	79-52 or higher	A0360 or higher 07-12 or higher for GVAX57A2 04-51 or higher for GVAX57A2	Hitachi HFCE0801, HFCE0802, HFCE0804	v4.4.7.1110	Brocade 300, 5100, 5300, 7800, 8000, DCX, DCX-4s	v7.2.0a - v7.2.1d
Yes (X57MPA2 only)		79-52 or higher	A0360 or higher 07-12 or higher for GVAX57A2 04-51 or higher for GVAX57A2	Hitachi HFCE0801, HFCE0802, HFCE0804	v4.4.7.1110	Brocade 6505, 6510, 6520, DCX8510	v7.2.0a - v7.2.1d	HUS 100, HUS VM, VSP, VSP G1000
Yes (X57MPA2 only)		79-52 or higher	A0360 or higher 07-12 or higher for GVAX57A2 04-51 or higher for GVAX57A2	Hitachi HFCE0801, HFCE0802, HFCE0804	v4.4.7.1110	Cisco 9148, 9222i, 9506 (4Gb), 9506 (8Gb), 9509 (4Gb), 9509 (8Gb), 9513, 9513 (8Gb)	v6.2(1) - v6.2(11)	HUS 100, HUS VM, VSP, VSP G1000
Yes (X57MPA2 only)		79-52 or higher	A0360 or higher 07-12 or higher for GVAX57A2 04-51 or higher for GVAX57A2	Hitachi HFCE0801, HFCE0802, HFCE0804	v4.4.7.1110	Hitachi Blade Server Switch - 5460	v7.0.2c	HUS 100, HUS VM, VSP, VSP G1000

Citrix XENServer	XENServer 6.0 (X64)	No	N/A	N/A	Emulex LPe12000, LPe12002	v8.3.5.39	Brocade 300, 5100, 5300, 7800, 8000, DCX, DCX-4s	v7.0.0 - v7.0.2e	HUS VM, VSP, VSP G1000
		No	N/A	N/A	Emulex LPe1205-HI	v8.3.5.39	Hitachi Blade Server Switch - 5460	v6.3.2d	HUS VM, VSP, VSP G1000
	XENServer 6.1 (X64)	No	N/A	N/A	Emulex LPe11000, LPe11002	v8.3.5.77.1p	Brocade 300, 5100, 5300, 7800, 8000, DCX, DCX-4s	v7.1.0a - v7.1.2b	HUS 100, HUS VM, VSP, VSP G1000
		No	N/A	N/A	Emulex LPe11000, LPe11002	v8.3.5.77.1p	Cisco 9148, 9222i, 9506 (4Gb), 9506 (8Gb), 9509 (4Gb), 9509 (8Gb), 9513, 9513 (8Gb)	v5.2(1) - v5.2(8c)	HUS 100, HUS VM, VSP, VSP G1000
		No	N/A	N/A	Emulex LPe12000, LPe12002	v8.3.5.77.1p	Brocade 300, 5100, 5300, 7800, 8000, DCX, DCX-4s	v7.1.0a - v7.1.2b	HUS 100, HUS VM, VSP, VSP G1000
		No	N/A	N/A	Emulex LPe12000, LPe12002	v8.3.5.77.1p	Cisco 9148, 9222i, 9506 (4Gb), 9506 (8Gb), 9509 (4Gb), 9509 (8Gb), 9513, 9513 (8Gb)	v5.2(1) - v5.2(8c)	HUS 100, HUS VM, VSP, VSP G1000
		No	N/A	N/A	Emulex LPe1205-HI	v8.3.5.77.1p	Hitachi Blade Server Switch - 5460	v6.3.2d	HUS 100, HUS VM, VSP, VSP G1000
		No	N/A	N/A	Emulex LPe12000, LPe12002	v8.3.7.14	Brocade 300, 5100, 5300, 7800, 8000, DCX, DCX-4s	v7.2.0a - v7.2.1d	HUS 100, HUS VM, VSP, VSP G1000
	XENServer 6.2 (X64)	No	N/A	N/A	Emulex LPe12000, LPe12002	v8.3.7.14	Cisco 9148, 9222i, 9506 (4Gb), 9506 (8Gb), 9509 (4Gb), 9509 (8Gb), 9513, 9513 (8Gb)	v6.2(1) - v6.2(11)	HUS 100, HUS VM, VSP, VSP G1000
		No	N/A	N/A	Emulex LPe12000, LPe12002	v8.3.7.14	Brocade 300, 5100, 5300, 7800, 8000, DCX, DCX-4s	v7.2.0a - v7.2.1d	HUS 100, HUS VM, VSP, VSP G1000

N+M support HCSM 7.5.1 or later							
Blade Model	OS	OS versions	Basic mode	HVM/LPAR mot	HBA/CNA model	HBA/CNA driver	
CB 2000 X57A1 (GVAX57A1) CB 2000 X57A2 (GVAX57A2)	RedHat Enterprise Linux (RHEL)	RHEL 6.1 (X64)	Yes	Yes GVAX57A2 only	Hitachi HFCE0801, HFCE0802, HFCE0804	v4.6.17.2096	
		RHEL 6.2 (IA32)	Yes	Yes GVAX57A2 only	Hitachi HFCE0801, HFCE0802, HFCE0804	v4.6.17.2096	
		RHEL 6.2 (X64)	Yes	No	Emulex LPe12000, LPe12002	v8.3.5.45.4p	
			Yes	No	Emulex LPe1205-HI	v8.3.5.45.4p	
			Yes	Yes GVAX57A2 only	Hitachi HFCE0801, HFCE0802, HFCE0804	v4.6.17.2096	
			Yes	No	QLogic QLE2560, QLE2562	v8.03.07.05.06.2-k	
		RHEL 6.3 (X64)	Yes	No	Emulex LPe11000, LPe11002	v8.3.5.68.5p	
			Yes	No	Emulex LPe12000, LPe12002	v8.3.5.68.5p	
			Yes	No	Emulex LPe1205-HI	v8.3.5.68.5p	
		RHEL 6.4 (IA32)	Yes	Yes GVAX57A2 only	Hitachi HFCE0801, HFCE0802, HFCE0804	v1.6.17.2114	
		RHEL 6.4 (X64)	Yes	No	Brocade 1860	v3.2.1.0	
			Yes	No	Emulex LPe11000, LPe11002	v8.3.5.86.1p	
			Yes	No	Emulex LPe12000, LPe12002	v8.3.5.86.1p	
			Yes	Yes GVAX57A2 only	Hitachi HFCE0801, HFCE0802, HFCE0804	v4.6.17.2104	
			Yes	Yes GVAX57A2 only	Hitachi HFCE0801, HFCE0802, HFCE0804	v4.6.17.2114	
		RHEL 6.5 (X64)	Yes	No	Emulex LPe1205-HI	v8.3.7.21.4p	
		Suse Linux Enterprise Server (SLES)	SLES 11 SP2 (X64)	Yes	No	Emulex LPe11000, LPe11002	v8.3.5.48.2p
				Yes	No	Emulex LPe12000, LPe12002	v8.3.5.48.2p
				Yes	No	Emulex LPe1205-HI	v8.3.5.48.2p
				Yes	No	Emulex LPe12000, LPe12002	v8.3.7.10.6p
SLES 11 SP3 (X64)	Yes		No	Emulex LPe12000, LPe12002	v8.3.7.10.6p		

Oracle Linux	Oracle Linux 5.6 (X64)	Yes	No	Emulex LPe11000, LPe11002	v8.3.18
		Yes	No	Emulex LPe12000, LPe12002	v8.3.18
		Yes	No	Emulex LPe1205-HI	v8.3.18
	Oracle Linux 5.8 (X64)	Yes	No	Emulex LPe11000, LPe11002	v8.3.5.68.4p
		Yes	No	Emulex LPe12000, LPe12002	v8.3.5.68.4p
		Yes	No	Emulex LPe1205-HI	v8.3.5.68.4p
	Oracle Linux 6.1 (X64)	Yes	No	Emulex LPe12000, LPe12002	v8.3.18
	Oracle Linux 6.2 (X64)	Yes	No	Emulex LPe11000, LPe11002	v8.3.5.68.4p
		Yes	No	Emulex LPe12000, LPe12002	v8.3.5.68.4p
		Yes	No	Emulex LPe1205-HI	v8.3.18
		Yes	No	Emulex LPe1205-HI	v8.3.5.68.4p
	Oracle Linux 6.3 (X64)	Yes	No	Emulex LPe12000, LPe12002	v8.3.5.68.6p
Yes		No	Emulex LPe1205-HI	v8.3.5.68.6p	
Oracle Virtual Machine (OVM)	OVM 3.1.1 (X64)	Yes	No	Emulex LPe11000, LPe11002	v8.3.5.58.2p
		Yes	No	Emulex LPe12000, LPe12002	v8.3.5.58.2p
		Yes	No	Emulex LPe1205-HI	v8.3.5.58.2p
	OVM 3.2.1 (X64)	Yes	No	Emulex LPe11000, LPe11002	v8.3.5.82.2p
		Yes	No	Emulex LPe12000, LPe12002	v8.3.5.82.2p
		Yes	No	Emulex LPe1205-HI	v8.3.5.82.2p
Oracle Solaris	Solaris 11 (X64)	Yes	No	Emulex LPe11000, LPe11002	Bundled
		Yes	No	Emulex LPe12000, LPe12002	Bundled
	Solaris 11.1 (X64)	Yes	No	Emulex LPe12000, LPe12002	Bundled
		Yes	No	Emulex LPe1205-HI	Bundled
VMWare	VMWare 5.0 U1 (X64)	Yes	No	Emulex LPe11000, LPe11002	Bundled
		Yes	No	Emulex LPe1205-HI	Bundled
		Yes	No	Hitachi HFCE0801, HFCE0802, HFCE0804	v4.28.16.1148
	VMWare 5.0 U2 (X64)	Yes	No	Emulex LPe11000, LPe11002	Bundled
		Yes	No	Emulex LPe1205-HI	Bundled
		Yes	No	Hitachi HFCE0801, HFCE0802, HFCE0804	v4.28.16.1158
	VMWare 5.0 U3 (X64)	Yes	No	Emulex LPe11000, LPe11002	Bundled
		Yes	No	Emulex LPe1205-HI	Bundled
		Yes	No	Hitachi HFCE0801, HFCE0802, HFCE0804	v4.28.16.1148
	VMWare 5.1 (X64)	Yes	No	Emulex LPe11000, LPe11002	Bundled
		Yes	No	Emulex LPe1205-HI	Bundled
		Yes	No	Hitachi HFCE0801, HFCE0802, HFCE0804	v4.28.16.1148
	VMWare 5.1 U1 (X64)	Yes	No	Emulex LPe11000, LPe11002	Bundled
		Yes	No	Emulex LPe1205-HI	Bundled
		Yes	No	Hitachi HFCE0801, HFCE0802, HFCE0804	v4.28.16.1158

	VMWare 5.1 U2 (X64)	Yes	No	Emulex LPe11000, LPe11002	Bundled
		Yes	No	Emulex LPe1205-HI	Bundled
		Yes	No	Hitachi HFCE0801, HFCE0802, HFCE0804	v4.28.16.1148
		Yes	No	Hitachi HFCE0801, HFCE0802, HFCE0804	v4.28.16.1158
Windows	Windows 2008 R2 (X64)	Yes	No	Emulex LPe16000, LPe16002	v2.72.012.001
	Windows 2008 R2 SP1 (X64)	Yes	No	Brocade 1860	v3.2.0.0
		Yes	No	Emulex LPe1205-HI	v2.20.006
		Yes	Yes GVAX57A2 only	Hitachi HFCE0801, HFCE0802, HFCE0804	v4.2.6.880
	Windows 2008 SP2 (IA32)	Yes	Yes GVAX57A2 only	Hitachi HFCE0801, HFCE0802, HFCE0804	v1.1.6.880
	Windows 2008 SP2 (X64)	Yes	No	Emulex LPe1205-HI	v2.20.006
		Yes	Yes GVAX57A2 only	Hitachi HFCE0801, HFCE0802, HFCE0804	v4.1.6.800
		Yes	Yes GVAX57A2 only	Hitachi HFCE0801, HFCE0802, HFCE0804	v4.1.6.880
Windows Server 2012	Yes	No	Emulex LPe16000, LPe16002	v2.72.012.001	
Windows Server 2012 R2	Yes (X57MPA2 only)	Yes GVAX57A2 only	Hitachi HFCE0801, HFCE0802, HFCE0804	v4.3.7.1110	
Citrix XENServer	XENServer 6.0 (X64)	Yes	No	Emulex LPe12000, LPe12002	v8.3.5.39
		Yes	No	Emulex LPe1205-HI	v8.3.5.39
	XENServer 6.1 (X64)	Yes	No	Emulex LPe11000, LPe11002	v8.3.5.77.1p
		Yes	No	Emulex LPe12000, LPe12002	v8.3.5.77.1p
		Yes	No	Emulex LPe1205-HI	v8.3.5.77.1p
	XENServer 6.2 (X64)	Yes	No	Emulex LPe12000, LPe12002	v8.3.7.14

3rd Party PCIe card support			
Blade Model	PCIe card in IOCD	PCIe card in IOD (IOEU)	InterOp File version
CB 2000 X57A1 (GVAX57A1)	Brocade 1860	Brocade 1860	CR01-03
	Emulex LPe12002	Emulex LPe12002	-
CB 2000 X57A2 (GVAX57A2)	Emulex LPe16002B	Emulex LPe16002B	CR01-04
	Fusion-io ioDrive2 (X57A2 only)	Fusion-io ioDrive2	-
	LSI Nytro MegaRAID NMR 8120-4i	LSI Nytro MegaRAID NMR 8120-4i	CR01-06
	Mellanox MHQH29-XTC	Mellanox MHQH29-XTC	CR01-02
	NVIDIA NVS 300 x1	Not supported	CR01-04
	QLogic QLE2562	QLogic QLE2562	CR01-01
	QLogic QLE2564	QLogic QLE2564	CR01-03
QLogic QLE2672	QLogic QLE2672	CR01-06	

OS Server Certification			
Blade Model	OS	OS versions	Link to the vendor HCL
CB 2000 X57A1 (GVAX57A1)	Citrix XenServer	6.0, 6.1, 6.2	Citrix HCL
	Oracle Linux	5.6, 5.8, 5.9, 5.10, 6.1, 6.2, 6.3, 6.4, 6.5	Oracle Linux HCL
	Oracle VM	3.0, 3.1, 3.2	Oracle VM HCL
	RedHat Enterprise Linux (RHEL)	RHEL 6.0 - 6.5	RedHat Customer Portal
	Windows	Windows 2008, 2008 R2, 2012 (X64)	Windows Server Catalog
	SUSE	SLES 11 SP2	SUSE YES Certification
	Vmware	ESX 4.1 U2 - U3, ESXi 5.0, 5.0 U1 - U3, 5.1, 5.1 U1 - U2	VMWare Compatibility Guide
CB 2000 X57A2 (GVAX57A2)	Oracle Linux	5.6, 5.8, 5.9, 5.10, 6.1, 6.2, 6.3, 6.4, 6.5	Oracle Linux HCL
	Oracle Solaris	10 U9, U10, U11, 11.1, 11.2	Oracle Solaris HCL
	Oracle VM	3.0, 3.1, 3.2	Oracle VM HCL
	RedHat Enterprise Linux (RHEL)	RHEL 5.5 - 5.11, 6.0 - 6.5	RedHat Customer Portal
	Windows	Windows 2008, 2008 R2, 2012 (X64)	Windows Server Catalog
	SUSE	SLES 11 SP1, SP2, SP3	SUSE YES Certification
	Vmware	ESX 4.1 U2 - U3, ESXi 5.0, 5.0 U1 - U3, 5.1, 5.1 U1 - U2, 5.5, 5.5 U1 - U2	VMWare Compatibility Guide